

# Native Files

General	
<code>R ← <b>QNNAMES</b></code>	Lists the names of all tied native files.
<code>R ← <b>QNNUMS</b></code>	Lists the tie numbers of all tied native files.
<code>R ← {X} <b>QNPARTS</b> Y</code>	Splits the filename <code>Y</code> into its constituent parts, returning a 3-element vector: <ul style="list-style-type: none"> <li><code>R[1]</code> is the specified path. If <code>X</code> is 1 then the fully-qualified path is derived and returned.</li> <li><code>R[2]</code> is the base name, that is, the filename stripped of its path and extension.</li> <li><code>R[3]</code> is the file extension, including the leading <code>.</code> character.</li> </ul>
File Operations	
<code>{R} ← X <b>QNCREATE</b> Y</code>	Creates a new native file with name <code>X</code> and file tie number <code>Y</code> ; a tie number of 0 allocates the next available tie number to the file.
<code>{R} ← {X} <b>QDELETE</b> Y</code>	Deletes the fully-qualified file/directory <code>Y</code> , returning a shy result of 1 if this is done successfully. If file/directory <code>Y</code> does not exist: <ul style="list-style-type: none"> <li>if <code>X</code> is 0 then an error is generated. This is the default.</li> <li>if <code>X</code> is 1 then a value of 0 is returned (no error is generated).</li> </ul>
<code>{R} ← X <b>QNERASE</b> Y</code>	Erases the tied native file that has name <code>X</code> and file tie number <code>Y</code> .
<code>{R} ← X <b>QRENAME</b> Y</code>	Renames the tied native file that has file tie number <code>Y</code> to have name <code>X</code> .
<code>{R} ← X <b>QRESIZE</b> Y</code>	Changes the size of the native file that has file tie number <code>Y</code> to size <code>X</code> (either by truncating the file or by extending it with undefined additional bytes) .
<code>{R} ← X <b>QNTIE</b> Y</code>	Ties the native file that has name <code>X</code> using file tie number <code>Y[1]</code> ; optionally, <code>Y[2]</code> can specify the type of access needed by other users (see <i>Access Codes</i> ) .
<code>{R} ← <b>QNUNTIE</b> Y</code>	Unties all native files that have a tie number in vector <code>Y</code> ( <b>QNUNTIE</b> $\emptyset$ does not untie any files but flushes all file caches to disk) and returns the tie numbers of native files that have been untied.
File System Operations	
<code>{R} ← {X} <b>QMKDIR</b> Y</code>	Creates new fully-qualified directory <code>Y</code> along with intermediate directories if required (determined by the value of <code>X</code> ): <ul style="list-style-type: none"> <li>if <code>X</code> is 0 then directory <code>Y</code> is only created if its path already exists and its base name does not exist. This is the default.</li> <li>if <code>X</code> is 1 then no action is taken if directory <code>Y</code> already exists.</li> <li>if <code>X</code> is 2 then directory <code>Y</code> and any part of its path that does not already exist is created.</li> <li>if <code>X</code> is 3 then: <ul style="list-style-type: none"> <li>no action is taken if directory <code>Y</code> already exists</li> <li>directory <code>Y</code> and any part of its path that does not already exist is created</li> </ul> </li> </ul> Returns 1 if the directory <code>Y</code> is created successfully, 0 otherwise (if <code>X</code> is 0 or 2 then an error message is also generated if directory <code>Y</code> cannot be created successfully).
<code>R ← <b>QNEXTISTS</b> Y</code>	Returns 1 if the fully-qualified file/directory <code>Y</code> exists (can be accessed), 0 otherwise.
Data Transfer	
<code>{R} ← X <b>QAPPEND</b> Y</code>	Appends the ravel of array <code>X</code> to the end of the native file that has tie number <code>Y[1]</code> ; optionally, <code>Y[2]</code> can specify the conversion code to use to convert array <code>X</code> (by default, 80 is assumed when using the Unicode version – see <i>Conversion Codes</i> ) .

<p><code>R ← {X} ⌈NGET Y</code></p>	<p>Reads a text file and returns a 3-element vector in which:</p> <ul style="list-style-type: none"> <li>• [ 1 ] is the character data in the file.</li> <li>• [ 2 ] is a character vector specifying the file encoding (see <i>File Encoding</i>).</li> <li>• [ 3 ] is numeric and is either <math>\emptyset</math> (if no line separator was found in the file) or a vector specifying the first newline separator found in the file (see <i>Line Separators</i>).</li> </ul> <p><i>Y</i> is either a character vector/scalar containing the name of the file to be read or a 2-item vector in which [ 1 ] is the filename and [ 2 ] is an integer scalar specifying <i>f l a g s</i>:</p> <ul style="list-style-type: none"> <li>• if <i>f l a g s</i> is 0 then <i>R</i>[ 1 ] is a character vector. This is the default.</li> <li>• if <i>f l a g s</i> is 1 then <i>R</i>[ 1 ] is a nested array of character vectors.</li> </ul> <p><i>X</i> is a character vector specifying the decoding format to use if the specified file does not start with a recognised BOM (see <i>File Encoding</i>). If no BOM is present and no decoding format is specified, then the file is examined and its encoding format is deduced.</p>
<p><code>{R} ← X ⌈INPUT Y</code></p>	<p>Writes character data to a text file and returns (shy) the number of bytes successfully written to the file.</p> <p><i>Y</i> is either a character vector/scalar containing the name of the file to be written or a 2-item vector in which [ 1 ] is the filename and [ 2 ] is an integer scalar specifying <i>f l a g s</i>:</p> <ul style="list-style-type: none"> <li>• if <i>f l a g s</i> is 0 then, if the file already exists, it will not be overwritten and an error is generated. This is the default.</li> <li>• if <i>f l a g s</i> is 1 then the file will be written irrespective of whether it already exists.</li> </ul> <p><i>X</i> can comprise up to three elements:</p> <ul style="list-style-type: none"> <li>• [ 1 ] is a vector of character vectors, each of which represents a line in the file to be written, or a simple character vector.</li> <li>• [ 2 ] is a character vector specifying the encoding to use (see <i>File Encoding</i>). Optional – the default is UTF-8-NOBOM.</li> <li>• [ 3 ] is numeric and is either <math>\emptyset</math> (same as the default) or a scalar/vector specifying the newline separator to use (see <i>Line Separators</i>). Optional – the default is (13 10) on Microsoft Windows and 10 on other platforms.</li> </ul>
<p><code>R ← ⌈NREAD Y</code></p>	<p>Reads the content of the native file identified by file tie number <i>Y</i>[ 1 ]; <i>Y</i>[ 2 ] specifies the conversion code to use (see <i>Conversion Codes</i>), <i>Y</i>[ 3 ] specifies the count (see <i>Conversion Codes</i>) and, optionally, <i>Y</i>[ 4 ] can define the offset from 0 of the first byte to read.</p>
<p><code>{R} ← X ⌈NREPLACE Y</code></p>	<p>Replaces content in a native file identified by file tie number <i>Y</i>[ 1 ] with <i>X</i>; <i>Y</i>[ 2 ] defines the offset from 0 of the first byte to replace and, optionally, <i>Y</i>[ 3 ] specifies the conversion code to use (by default, 80 is assumed when using the Unicode version) (see <i>Conversion Codes</i>).</p>
<p><code>{R} ← {X} ⌈NXLATE Y</code></p>	<p>Associates the native file that has tie number <i>Y</i> with character translation vector <i>X</i>. Note that:</p> <ul style="list-style-type: none"> <li>• if <i>X</i> is not specified then the currently-associated translation vector is returned</li> <li>• if <i>X</i> has the value ( <math>\iota 256</math> ) - ⌈IO then the translation process is bypassed and raw input/output is provided</li> <li>• if <i>Y</i> is set to 0, then the translate vector used by ⌈DR is used</li> </ul> <p>Unicode version only: This is only relevant when processing native files that contain characters expressed as indices into ⌈AV.</p>
<p><b>Locking</b></p>	
<p><code>{R} ← X ⌈NLOCK Y</code></p>	<p>Changes the lock status (as defined by <i>X</i>) of part of the native file that has file tie number <i>Y</i>[ 1 ]; optionally, <i>Y</i>[ 2 ] can define the offset from 0 of the first byte to apply the lock change to (defaults to 0) and <i>Y</i>[ 3 ] can specify the number of bytes impacted by the lock change (defaults to the maximum possible file size) (see <i>File Encoding</i>).</p>
<p><b>File Properties</b></p>	
<p><code>R ← ⌈NSIZE Y</code></p>	<p>Returns the size in bytes of the native file that has file tie number <i>Y</i>.</p>

<code>R ← {X} ⎕NINFO Y</code>	<p>Returns an array of the information specified by <code>X</code> about file/directory <code>Y</code> (a file/directory name or native file tie number). <code>X</code> can specify any of the following values, in any order:</p> <ul style="list-style-type: none"> <li>• 0 : Name of <code>Y</code>. This is the default.</li> <li>• 1 : Type of <code>Y</code>. This can be 0 (not known), 1 (directory), 2 (file), 3 (character device) or 4 (symbolic link). On UNIX and Mac OS, can also be 5 (block device), 6 (FIFO) or 7 (socket)</li> <li>• 2 : Size of <code>Y</code> in bytes.</li> <li>• 3 : The time <code>Y</code> was last modified as a timestamp in <code>⎕TS</code> format.</li> <li>• 4 : The user ID of the owner of <code>Y</code>.</li> <li>• 5 : The name of the owner of <code>Y</code>.</li> <li>• 6 : Whether <code>Y</code> is hidden.</li> </ul> <p>The file/directory name can include wildcard options (requires variant); in this case the result <code>R</code> remains the same shape as <code>X</code> but its depth increases with the number of files/directories that match the name.</p>
-------------------------------	---

### Access Codes

The access codes used by `⎕NTIE` are integer values calculated as the sum of:

- the type of access needed from users who have already tied the native file
- the type of access to grant to users who subsequently try to open the file while you have it open

Needed from existing users	
0	read access
1	write access
2	read and write access

Granted to subsequent users	
0	compatibility mode
16	no access (exclusive)
32	read access
48	write access
64	read and write access

### Conversion Codes

The conversion codes used by `⎕NAPPEND`, `⎕NREAD` and `⎕NREPLACE` vary according to the installation of Dyalog APL that is used to read the native file; the following two tables show the conversion codes for the Unicode version and Classic version respectively.

Value	Number of Bytes	Result Type	Result Shape
11	count	1 bit Boolean	8 x count
80	count	8 bit character	count
82*	count	8 bit character	count
83	count	8 bit integer	count
160	2 x count	16 bit character	count
163	2 x count	16 bit integer	count
320	4 x count	32 bit character	count
323	4 x count	32 bit integer	count
645	8 x count	64 bit floating	count

Value	Number of Bytes	Result Type	Result Shape
11	count	1 bit Boolean	8 x count
-	-	-	-
82	count	8 bit character	count
83	count	8 bit integer	count
-	-	-	-
163	2 x count	16 bit integer	count
-	-	-	-
323	4 x count	32 bit integer	count
645	8 x count	64 bit floating	count

\* Conversion code 82 is permitted in the Unicode Edition for compatibility and causes 1-byte data on file to be *translated* (according to `⎕NXLATE`) from `⎕AV` indices into normal (Unicode) characters of type 80, 160 or 320.

## File Encoding

The file encoding used by `OPENGET` and `OPENPUT`. The UTF formats can be qualified with -BOM (for example, UTF-8-BOM) or -NOBOM (for example, UTF-16LE-NOBOM) to specify whether a BOM is/should be present; this qualification is always present when returned by `OPENGET`.

Encoding	Description
UTF-8	Data is encoded into UTF-8 format. If -BOM or -NOBOM is not appended, the default is -NOBOM.
UTF-16 UTF-16BE UTF-16LE	Data is encoded into UTF-16 format with either big or little endianness. The default for UTF-16 is the endianness of the host system (BE on AIX platforms, LE on others). If -BOM or -NOBOM is not appended, the default is -BOM.
UTF-32 UTF-32BE UTF-32LE	Data is encoded into UTF-32 format with either big or little endianness. The default for UTF-32 is the endianness of the host system (BE on AIX platforms, LE on others). If -BOM or -NOBOM is not appended, the default is -BOM.
ASCII	Data is encoded into 7-bit ASCII format
Windows-1252	Data is encoded into 8-bit Windows-1252 format
ANSI	ANSI is a synonym of Windows-1252

## Line Separators

The line terminators recognised by `OPENGET` and `OPENPUT`.

For `OPENGET`:

- if `R[1]` is simple, then it comprises the contents of the file with all line separators normalised to `UCS-10`.
- if `R[1]` is nested, then it comprises the contents of the file split on the occurrence of any of the line separators.

Value	Char	Description	Notes
13	CR	Carriage Return (U+000D)	Newline separators recognised by <code>OPENGET (R[3])</code> and <code>OPENPUT (X[3])</code> .
10	LF	Line Feed (U+000A)	
13 10	CRLF	Carriage Return followed by Line Feed	
133	NEL	New Line (U+0085)	
11	VT	Vertical Tab (U+000B)	
12	FF	Form Feed (U+000C)	
2028	LS	Line Separator (U+2028)	
2029	PS	Paragraph Separator (U+2029)	

## File Locking

Unlike component files, which can be tied with an exclusive tie or a share tie, native files cannot be tied in different ways. Instead, `UNLOCK` is used to lock byte ranges within files, thereby managing access between users. There are three possible lock statuses:

- 1 means unlock
- 2 means read (share) lock – multiple read locks can exist over the same byte-range. The presence of a read lock prevents a write lock being obtained
- 3 means write lock – only one write lock can exist for a specific byte-range of a native file. The presence of a write lock prevents a read lock being obtained

The lock status can also, optionally, define a timeout period in seconds; if this period is exceeded before the lock status change has occurred, then a TIMEOUT error is displayed (defaults to no timeout limit).

Different file servers can follow different locking standards – `UNLOCK` does not standardise this.