

SALT Release Notes

SALT Version 2.8

Dyalog Limited

Minchens Court, Minchens Lane
Bramley, Hampshire
RG26 5BH
United Kingdom

tel: +44(0)1256 830030
fax: +44 (0)1256 830031
email: support@dyalog.com
<http://www.dyalog.com>

Dyalog is a trademark of Dyalog Limited
Copyright © 1982-2018



*Dyalog is a trademark of Dyalog Limited
Copyright © 1982 - 2018 by Dyalog Limited.
All rights reserved.*

Version 2.8

Revision: 20180501_280

No part of this publication may be reproduced in any form by any means without the prior written permission of Dyalog Limited, Minchens Court, Minchens Lane, Bramley, Hampshire, RG26 5BH, United Kingdom.

Dyalog Limited makes no representations or warranties with respect to the contents hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Dyalog Limited reserves the right to revise this publication without notification.

SQAPL is copyright of Insight Systems ApS.

UNIX is a registered trademark of The Open Group.

Windows, Windows Vista, Visual Basic and Excel are trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

All other trademarks and copyrights are acknowledged.

Contents

1	ABOUT THIS DOCUMENT.....	1
1.1	Compatibility with Dyalog Versions	1
2	FUNCTIONAL CHANGES.....	2
2.1	Changes to the Settings Function	2
2.1.1	New alias	2
2.1.2	Parameter Values.....	2

1 About This Document

This document describes the changes and new features in SALT version 2.8 (released with the first release of Dyalog version 17.0) compared with SALT version 2.7 (released with the first release of Dyalog version 16.0).

1.1 Compatibility with Dyalog Versions

SALT version 2.8 is compatible Dyalog version 17.0 only.

2 Functional Changes

This chapter details the changes made to SALT for version 2.8.

2.1 Changes to the Settings Function

2.1.1 New alias

`SE.SALT.Settings` can now be called using the alias `SE.SALT.Set`.

2.1.2 Parameter Values

Enclosing tradfns/tradops in ∇ characters is a useful way of identifying them within a body of code. A new parameter, *fnfels*, specifies whether ∇ characters are used to enclose a new tradfn/tradop when saving it. Possible values are:

- 0 : do not use ∇ characters to enclose a new tradfn/tradop when saving it. This is the default.
- 1 : use ∇ characters to enclose a new tradfn/tradop when saving it.



When saving a tradfn/tradop:

- setting *fnfels* to 1 means the tradfn/tradop cannot be loaded in a version of Dyalog prior to version 17.0 using the `SE.SALT.Load` function or the `]Load` user command, but can be loaded using `2FIX`.
 - setting *fnfels* to 0 means the tradfn/tradop cannot be loaded in a version of Dyalog prior to version 17.0 using `2FIX` but can be loaded using the `SE.SALT.Load` function or the `]Load` user command.
-