

Dyalog for Microsoft Windows UI Guide

Dyalog version 20.0



DYALOG

*Dyalog is a trademark of Dyalog Limited
Copyright © 1982-2025 by Dyalog Limited
All rights reserved.*

Dyalog for Microsoft Windows UI Guide

Dyalog version: 20.0

Document Revision: 2025-10-30 main:e0843eae32

Unless stated otherwise, all examples in this document assume that □IO □ML ← 1

Dyalog Limited makes no representations or warranties with respect to the contents hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Dyalog Limited reserves the right to revise this publication without notification.

email: support@dyalog.com

<https://www.dyalog.com>

TRADEMARKS:

Raspberry Pi is a trademark of the Raspberry Pi Foundation.

Oracle®, MySQL, and Java™ are registered trademarks of Oracle and/or its affiliates.

JavaScript™ is a trademark of Oracle Corporation.

Unicode is a registered trademarks of Unicode, Inc. in the U.S. and other countries.

UNIX® is a registered trademark in the U.S. and other countries, licensed exclusively through X/Open Company Limited.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Windows® is a registered trademark of Microsoft Corporation in the U.S. and other countries.

macOS® and OS X® (operating system software) are registered trademarks of Apple Inc. in the U.S. and other countries.

All other trademarks and copyrights are acknowledged.

Except where otherwise noted, this content is licensed under a [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/) licence.

Contents

1 Introduction	8
2 APL Keyboards	9
3 Session Manager	12
4 Session Gutter	15
5 Multi-line Session Input	16
6 Unicode Edition Keyboard	18
7 IME Configuration	19
8 Classic Edition Keyboard	23
9 Keyboard Shortcuts	24
10 Session Colour Scheme	31
11 The Session Window	33
12 Language Bar	41
13 Entering and Executing Expressions	43
14 Value Tips	47
15 Value Tips for External Functions	49
16 Configuring Value Tips	51
17 Session GUI	52
18 Session MenuBar	53
19 Session Popup Menu	63
20 The Session Toolbars	67

21 Session StatusBar	73
22 Status Window	75
23 Workspace Explorer	77
24 Browsing Classes	88
25 Browsing Type Libraries	94
26 Browsing .Net Classes	104
27 Find Objects Tool	113
28 Object Properties Dialog	117
29 Editor	123
30 Find and Replace Dialogs	157
31 Editing Scripts and Text Files	160
32 Source as Typed	164
33 The Tracer	166
33.1 The Tracer	166
33.2 Inline Tracing	175
34 The Threads Tool	182
35 Debugging Threads	186
36 The Event Viewer	190
37 The Session Object	197
37.1 Introduction	197
37.2 AfterFix	204
37.3 Fix	205
37.4 Format	206
37.5 SessionPrint Event	207
37.6 SessionTrace	208
37.7 WorkspaceLoaded Event	210
37.8 Configuring the Session	211
37.9 Session Initialisation	216
38 User Commands	218

39 File Explorer Integration 219

1 Introduction

The Dyalog Development Environment includes a Session Manager, an Editor, and a Tracer all of which operate in windows on the screen. The session window is created when you start APL and is present until you terminate your APL session. In addition there may be a number of edit and/or trace Windows, which are created and destroyed dynamically as required. All APL windows are under the control of Windows and may be selected, moved, resized, maximised and minimised using the standard facilities that Windows provides.

2 APL Keyboards

The Classic and Unicode Editions of Dyalog APL for Windows use different techniques for mapping keystrokes to APL characters and to special command shortcuts.

The Classic Edition uses a proprietary technique for these mappings.

By default, the Unicode Edition uses Microsoft's IME (Input Method Editor) technology. Many other applications use the same technology, which means that the Dyalog Unicode IME may be used not only with *Dyalog APL for Windows Unicode Edition*, but also with word processing applications, spreadsheets, terminal emulators etc. Therefore, with the Dyalog Unicode IME installed, and with a suitable font selected, APL characters can be entered and viewed in many other applications.

As an alternative to the Dyalog Unicode IME, whose installation requires Administrator privileges, the key mapping for the Unicode Edition may be specified in the Windows registry.

See the section [Unicode Edition and the Registry Keyboard](#) below.

In both Classic and Unicode Editions APL characters are generated when the user presses certain combinations of *meta keys* in conjunction with the normal character keys. Meta keys include `Shift`, `Ctrl` and `Alt`.

For both input techniques it is possible to alter the mapping of keystrokes to APL characters, and to add support for new languages. It is also possible to alter the keystrokes which define special command keyboard shortcuts. For further details, see [Chapter 6](#) or [Chapter 8](#)

2.1 Unicode Edition and the Dyalog Unicode IME

The Dyalog Unicode IME is the default input mechanism for generating APL characters for Unicode editions of Dyalog APL. The version of the IME supplied with version 20.0 can be used with version 12.1 and later, provided that they are patched to a version created on or after 1st April 2011.

The Dyalog Unicode IME defines the mapping of keystrokes to Unicode characters. Only keystrokes which resolve to characters that either do not appear on the standard

keyboard or which differ from those that appear on the standard keyboard are included in the selectable translate table. In effect the Dyalog Unicode IME can be regarded as an overlay of the standard keyboard which contains just APL characters.

The Dyalog Unicode IME supplied with Version 20.0 includes support for Belgian, Danish, Finnish, French, German, Italian, Spanish Swedish and British and American English keyboards, based on the Dyalog hardware keyboard layout; these keyboard layouts are described [here](#).

Note that for Danish, British and American English keyboards the older layouts, based on the Dyalog APL Ctrl Keyboard, are included in the `UnicodeIME\aplkeys` directory.

The default keyboard mapping for unsupported languages is American English.

The IME translate tables include mappings for the special command keystrokes used by Dyalog APL.

These command keystroke mappings are ignored by applications unless the application is explicitly named in the Dyalog Unicode IME configuration. It is expected that only terminal emulators used for running UNIX-based versions of Dyalog APL will use this feature.

In particular, Dyalog APL for Windows Unicode Edition does not use the mappings in the translate tables; the mappings are defined under `Options/Configure/Keyboard Shortcuts` (see *Installation/Configuration: Configuration Dialog Keyboard Shortcuts Tab*).

Note that the Dyalog Unicode IME replaces any previous IME, as well as the Dyalog Ctrl and Dyalog AltGr keyboards.

2.2 Unicode Edition and the Registry Keyboard

The Registry Keyboard provides an alternative mechanism for the Unicode Edition. This feature maps keystrokes to APL characters using entries in the Windows Registry. Dyalog supports the mechanism but does not provide the mappings which must therefore be defined by the user.

Note that the Dyalog IME is used if it is available; the Registry Keyboard mechanism is used only if the Dyalog IME is not installed.

The mappings are defined in the Registry sub-folder :

```
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Dyalog\Dyalog APL/W-64 20.0
Unicode\KeyboardShortcuts\chars
```

Each entry consists of the Unicode code point of an APL character followed by the keystroke to which it is mapped.

The keystroke is defined by 4 hexadecimal values which specify the key, the shift-state, and 2 zeros. The key is represented by the Unicode code point of the symbol engraved upon it, so (on a UK keyboard) the <1> key is hex 31 and the <A> key is hex 41. The Shift-states values are the sum of 1 (Shift), 2 (Ctrl), 4 (Alt).

```
"0x230A"=hex:44,02,00,00
```

```
"0x235F"=hex:38,03,00,00
```

In the first entry, the APL character is Unicode code point 230A which is `Ⓛ`. The key is <D> (hex 44) and the shift-state is Ctrl (hex 02).

In the second entry, the APL character is Unicode code point 235F which is `⌘`. The character is entered by pressing <*> (hex 38) with Shift + Ctrl (hex 03).

2.3 Classic Edition

The mapping for each of the `␣␣` positions and its associated keystroke is defined by a selectable translate table. `␣␣` includes all the APL symbols used by Dyalog APL as well as all the (non-APL) characters which appear on a standard keyboard. This mapping only works with Classic Edition.

The Classic Edition installation also includes the Dyalog Unicode IME (described below) so that users may enter APL characters into other applications; the Dyalog Unicode IME is however not used by the Classic Edition itself.

The Classic Edition includes support for Danish, Finnish, French, German, Italian, Swedish, and both British and American English keyboards. The default keyboard mapping for unsupported languages is American English.

2.4 Backtick Keyboard

In addition to the standard APL keyboards, the Ride keyboard may be used natively. See [Chapter 7](#).

3 Session Manager

The Dyalog APL/W session is fully configurable. Not only can you change the appearance of the menus, tool bars and status bars, but you can add new objects of your choice and attach your own APL functions and expressions to them. Functions and variables can be stored in the session *namespace*. This is *independent* of the active workspace; so there is no conflict with workspace names, and your utilities remain permanently accessible for the duration of the session. Finally, you may set up different session configurations for different purposes which can be saved and loaded as required.

The session window is defined by an object called `□SE`. This is very similar to a Form object, but has certain special properties. The menu bar, tool bar and status bars on the session window are in fact `MenuBar`, `ToolControl` and `StatusBar` objects owned by `□SE`. All of the other components such as menu items and tool buttons are also standard GUI objects. You may use `□WC` to create new session objects and you may use `□WS` to change the properties of existing ones. `□WG` and `□WN` may also be used with `□SE` and its children.

Components of the session that perform actions (`MenuItem` and `Button` objects) do so because their Event properties are defined to execute system operations or APL expressions. System operations comprise a pre-defined set of actions that can be performed by Dyalog APL/W. These are coded as keywords within square brackets. For example, the system operation `[WSClear]` produces a `clear ws`, after first displaying a dialog box for confirmation. You may customise your session by adding or deleting objects and by attaching system operations or APL expressions to them.

Like any other object, `□SE` is a namespace that may contain functions and variables. Furthermore, `□SE` is independent of the active workspace and is unaffected by `)LOAD` and `)CLEAR`. It is therefore sensible to store commonly used utilities, particularly those utilities that are invoked by events on session objects, in `□SE` itself, rather than in each of your application workspaces.

The possibility of configuring your APL session so extensively leads to the requirement to have different sessions for different purposes. To meet this need, sessions are stored in special files with a `.DSE` (Dyalog Session) extension. The default session (that is, the one loaded when you start APL) is specified by the **session_file** parameter. You may

customise this session and then save it over the default one or in a separate file. You can load a new session from file at any stage without affecting your active workspace.

3.1 Positioning the Cursor

The cursor may be positioned within the current APL window by moving the mouse pointer to the desired location and then clicking the Left Button. The APL cursor will then move to the character under the pointer.

3.2 Selection

Dragging the mouse selects the text from the point where the mouse button is depressed to the point where the button is released. When you select multiple lines, the use of the left mouse button always selects text from the start of the line. A contiguous block of text can be selected by dragging with the right mouse button.

Double-clicking the left mouse button to the left of a line selects the whole line, including the end-of-line character.

3.3 Scrolling

Data can be scrolled in a window using the mouse in conjunction with the scrollbar.

3.4 Invoking the Editor

The Editor can be invoked by placing the mouse pointer over the name of an editable object and double-clicking the left button on the mouse. If you double-click on the empty Input Line it acts as "Naked Edit" and opens an edit window for the suspended function (if any) on the APL stack. For further details, see [Chapter 29](#). See also "Installation and Configuration Guide: DoubleClickEdit".

3.5 The Current Object

If you position the input cursor over the name of an object in the session window, that object becomes the current object. This name is stored in the CurObj property of the Session object and may be used by an application or a utility program. This means that you can click the mouse over a name and then select a menu item or click a button that executes code that accesses the name.

3.6 The Session Pop-up Menu

Clicking the right mouse button brings up the Session pop-up menu. This is described later in this chapter.

3.7 Drag-and-Drop Editing

Drag-and-Drop editing is the easiest way to move or copy a selection a short distance within an edit window or between edit windows.

3.7.1 To move text using drag-and-drop editing

1. Select the text you want to move.
2. Point to the selected text and then press and hold down the left mouse button. When the drag-and-drop pointer appears, drag the cursor to a new location.
3. Release the mouse button to drop the text into place.

3.7.2 To copy text using drag-and-drop editing

1. Select the text you want to move.
2. Hold down the Ctrl key, point to the selected text and then press and hold down the left mouse button. When the drag-and-drop pointer appears, drag the cursor to a new location.
3. Release the mouse button to drop the text into place.

If you drag-and-drop text within the Session window, the text is copied and not moved whether or not you use the Ctrl key.

3.8 Interrupts

To generate an interrupt, click on the Dyalog icon in the Windows System Tray; then choose *Weak Interrupt* or *Strong Interrupt*. To close the menu, click *Cancel*. Alternatively, to generate a weak interrupt, press Ctrl+Break, or select *Interrupt* from the *Action* menu on the Session Window.

4 Session Gutter

The first column of the Session Window (the Session Gutter) is by default reserved to display the following information:

- A small red circle. This indicator is used on every line that is modified in the session, including old ones (for example, if you move up the session and modify them, without pressing <ER>). The indicators show which session lines will be re-executed when you subsequently press <ER>.
- A left bracket [to identify groups of default output. Note that other forms of output are not identified in this way.

```

      2+2
  4
      1 1 3
  [ 1 1 1 1 1 2 1 1 3
    1 2 1 1 2 2 1 2 3
      1 1 4
  [ 1 1 1 1 1 1 1 2 1 1 1 3 1 1 1 4
    1 1 2 1 1 1 2 2 1 1 2 3 1 1 2 4
    1 1 3 1 1 1 3 2 1 1 3 3 1 1 3 4
    1 2 1 1 1 2 1 2 1 2 1 3 1 2 1 4
    1 2 2 1 1 2 2 2 1 2 2 3 1 2 2 4
    1 2 3 1 1 2 3 2 1 2 3 3 1 2 3 4
      1 1 3
    1 1 1 1 1 2 1 1 3
    1 2 1 1 2 2 1 2 3
      2÷0
  DOMAIN ERROR: Divide by zero
      2÷0
      ^
      |
  
```

The Session Gutter may be enabled and disabled using the **DYALOG_GUTTER_ENABLE** parameter. It is disabled by default in the TTY interface.

5 Multi-line Session Input

The Session allows multi-line input. This feature is optional, and is controlled by the value of the **Dyalog_LineEditor_Mode** configuration parameter (default is 1, meaning that multi-line input is enabled). To disable multi-line input, set **Dyalog_LineEditor_Mode** to 0.

See *Installation/Configuration: Dyalog Lineeditor Mode*

On Microsoft Windows, multi-line input can be enabled and disabled using the **Enable Multiline Input** checkbox on the **Session** tab of the **Configuration** dialog box. See *Installation/Configuration: Configuration Dialog Session Tab*.

5.1 When Multi-line Input is Enabled

- The session considers all related lines to be a *group*.
- Grouped lines are syntax coloured as a whole.
- If a change is made to one or more lines in a group then the whole group is marked to be re-executed when <ER> is pressed.
- Lines can be inserted into a group with the <IL> keystroke.
- The current line can be cleared with the <EL> keystroke. (It is not possible to UNDO a delete line in the session).
- if the interpreter detects an un-terminated control structure or dfn on a single line of input it:
 - enters a new multi-line mode which accumulates lines until the control structure or dfn is terminated.
 - executes a completed block of lines as if it were within a niladic defined function.
 - enters a new multi-line mode which accumulates lines until the control structure or dfn is terminated.
 - executes a completed block of lines as if it were within a niladic defined function.

Multi-line input can be terminated by correctly terminating the input. For example, if you started a block of multi-line input with a { character, then a matching and similarly nested } character terminates it. Similarly, if you started a block of multi-line input with

:If then a matching and similarly nested :EndIf terminates it. Issuing a weak interrupt aborts the multi-line input and all changes are lost.

On Microsoft Windows and in Ride, one or more lines from a group can be executed separately by selecting the entire line or lines before pressing <ER>.

6 Unicode Edition Keyboard

6.1 Introduction

Unicode Edition supports the use of standard Windows keyboards that have the additional capability to generate APL characters when the user presses Ctrl, Alt, AltGr (or some other combination of meta keys) in combination with the normal character keys.

Dyalog is supplied with the Dyalog Unicode IME keyboard for a range of different languages as listed below. The intention is that only APL characters and characters that appear in locations different from the underlying keyboard are defined; any other keystroke is passed through *as is*.

6.2 Installation

During the Installation of Dyalog Unicode Edition, setup installs the Dyalog Unicode IME (IME). For any given Input Language the IME consists of an additional service for that Input Language, and a translate table which maps keystrokes for the appropriate keyboard to Unicode code points for APL characters

An IME service is installed for every Input Language that the user who installs Dyalog has defined, as well as every Input Language for which Dyalog has support.

The keyboard mappings are defined for the following national languages: Belgian, Danish, Finnish, French, German, Italian, Spanish, Swedish, and British and American English.

These mappings are described at https://dfns.dyalog.com/n_keyboards.htm.

For any other Input Language the American English translate table is selected. Note that some Input Languages are defined to be *substitutes* for other Input Languages; for example Australian English Input is a substitute for American English Input, Austrian German Input a substitute for German German Input. In these cases the IME will install the appropriate translate table. It is also possible to create support for new languages or to modify the existing support. See the *IME User Guide* for further details.

7 IME Configuration


The Dyalog Unicode IME is added as an additional service to all keyboards defined to the user and the administrator at the time that the IME was installed.


For each IME the underlying keyboard layout file will be the same as that defined for the base keyboard. The layout file is a DLL created by Microsoft.

The language specified in the description of the IME is the name of the IME translate table that has been associated with the IME for the specific keyboard. In the case of languages not supported by the IME the keyboard will default to en-US.

7.1 IME Properties

To change the properties of the IME go to *Options/Configure/Unicode Input* tab and select *Configure Layout*:





7.2 Input translate table

The translate table defines the mapping between APL characters and the keystrokes that generate those APL characters. It is possible to alter the mapping or to create support for new keyboards by altering the translate table, or by selecting a different translate table. See the *IME User Guide* for more details.

7.3 Backtick Keyboard

The *Backtick* keyboard provided by Ride may be used natively. By default it is disabled. To enable it, check the box labelled *Enable Backtick Keyboard introducer*. You may replace the backtick character (`) with an alternative character to act as the introducer for APL glyphs, but take care to choose a character that is otherwise unused.

For information on using this keyboard interface, see [Ride User Guide](#).

7.4 Overstrikes

In the original implementations of APL, many of the special symbols could only be generated by overstriking one character on top of another as is reflected in the appearance of the glyphs. For example, the symbol for Grade Up (Δ) is actually the symbol for delta (Δ) superimposed on the symbol for vertical bar ($|$)

In Dyalog, such symbols can be generated either by a single keystroke, or (in *Replace* mode) by overtyping one symbol with another. For example Δ may be generated using Shift+Ctrl+4, or by switching to *Replace* mode and typing the three keystrokes Ctrl+h, Left-Cursor, Ctrl+m.

Using the Dyalog Unicode IME the character can also be entered by pressing Ctrl+Bksp, Ctrl+m, Ctrl+h. Note that Ctrl+Bksp is the default *Overstrike Introducer Key* (key code OS).

7.5 Use Overstrike popup

With this option selected, when the character following the Overstrike Introducer Key is pressed, a popup box displays all the overstrikes which contain the last character typed: in the example below Ctrl+Bksp has been followed by Ctrl+h:



Note the fine (red) line under the Δ . This indicates that an overstrike creation operation is in progress.

The input of the symbol Δ can be completed by pressing Ctrl+m, or by moving the selection up and down the pop-up list using Cursor-Up or Cursor-Down.

7.6 Overstrikes do not require the OS introducer key

With this option selected, the IME identifies characters which are part of a valid overstrike, and when such a character is entered into the session, begins an overstrike creation operation.

8 Classic Edition Keyboard

The standard Classic Edition keyboard tables are files supplied in the `aplkeys` sub-directory named `cc.din` where `cc` is the standard 2-character country code, for example, `uk.din`.

Note that the standard tables do not support the entry of APL underscored characters ABCDEFGHIJKLMNOPQRSTUVWXYZ.

The standard table supports two modes of use; traditional (mode 0) and unified (mode 1). The keyboard starts in mode 1 and may be switched between modes by clicking the *Uni/Apl* field in the status bar or by keying `*` on the Numeric-Keypad.

The Classic Edition keyboard layout is close to that of the Unicode Edition, but does not include certain symbols which are only provided in the Unicode Edition.

9 Keyboard Shortcuts

The terms keyboard shortcut (Unicode Edition) and command (Classic Edition) are used herein to describe a keystroke that generates an action, rather than one that produces a symbol.

9.1 Unicode Edition


Unicode Edition provides a number of shortcut keys that may be used to perform actions. For compatibility with Classic Edition and with previous versions of Dyalog, these are identified by 2-character codes; for example the action to start the Tracer is identified by the code `,` and mapped to user-configurable keystrokes.

In the Unicode Edition, Keyboard Shortcuts are defined using Options/Configure/Keyboard Shortcuts and stored in the Windows Registry. Note that the Unicode IME translate tables have definitions for the Keyboard Shortcuts too; these are ignored by the interpreter, and are intended for use with terminal emulators being used in conjunction with non-GUI versions of Dyalog.

To the right of the last symbol in the Language Bar is the Keyboard Shortcut icon



. If you hover the mouse over this icon, a pop-up tip is displayed to remind you of your keyboard shortcuts as illustrated below.



9.2 Classic Edition

Commands fall into four categories, namely cursor movement, selection, editing directives and special operations, and are summarised in the following tables. The input codes in the first column of the tables are the codes by which the commands are identified in the Input Translate Table.

Table: Cursor Movement Commands

Input Code	Keystroke	Description
LS	Ctrl+PgUp	Scrolls left by a page
RS	Ctrl+PgDn	Scrolls right by a page
US	PgUp	Scrolls up by a page
DS	PgDn	Scrolls down by a page
LC	Left Arrow	Moves the cursor one character position to the left
RC	Right Arrow	Moves the cursor one character position to the right
DC	Down Arrow	Moves the cursor to the current character position on the line below the current line
UC	Up Arrow	Moves the cursor to the current character position on the line above the current line
UL	Ctrl+Home	Move the cursor to the top-left position in the window
DL	Ctrl+End	Moves the cursor to the bottom-right position in the window
RL	End	Moves the cursor right to the first of:
		- the six space prompt (only when the cursor is on a blank line)
		- the end of the content of the line excluding space characters
		- the end of the content of the line including space characters
		Pressing RL multiple times progresses through the list in the order shown above.
LL	Home	Moves the cursor left to the first of:
		- the start of the content of the line
		- the six space prompt (except when in the Editor , in which case this is skipped)
		- the left edge of the session
		Pressing LL multiple times progresses through the list in the order shown above.

Input Code	Keystroke	Description
LW	Ctrl+Left Arrow	Moves the cursor to the beginning of the word to the left of the cursor
RW	Ctrl+Right Arrow	Moves the cursor to the end of the word to the right of the cursor
TB	Ctrl+Tab	Switches to the next session/edit/trace window
BT	Ctrl+Shift+Tab	Switches to the previous session/edit/trace window

Table: Selection Commands

Input Code	Keystroke	Description
Lc	Shift+Left Arrow	Extends the selection one character position to the left
Rc	Shift+Right Arrow	Extends the selection one character position to the right
Lw	Ctrl+Shift+Left Arrow	Extends the selection to the beginning of the word to the left of the cursor
Rw	Ctrl+Shift+Right Arrow	Extends the selection to the end of the word to the right of the cursor
Uc	Shift+Up Arrow	Extends the selection to the current character position on the line above the current line
Dc	Shift+Down Arrow	Extends the selection to the current character position on the line below the current line
LI	Shift+Home	Extends the selection to the beginning of the current line
RI	Shift+End	Extends the selection to the end of the current line
UI	Ctrl+Shift+Home	Extends the selection to the beginning of the first line in the window
DI	Ctrl+Shift+End	Extends the selection to the end of the last line in the window
Us	Shift+PgUp	Extends the selection up by a page
Ds	Shift+PgDn	Extends the selection down by a page

Table: Editing Directives

Input Code	Keystroke	Description
DI	Delete	Deletes the selection
DK	Ctrl+Delete	Deletes the current line in an Edit window. Deletes selected lines in the Session Log
CT	Shift+Delete	Removes the selection and copies it to the clipboard
CP	Ctrl+Insert	Copies the selection into the clipboard
FD	Ctrl+Shift+Enter	Reapplies the most recent undo operation
BK	Ctrl+Shift+Bksp	Performs an undo operation
PT	Shift+Insert	Copies the contents of the clipboard into a window at the location selected
OP	Ctrl+Shift+Insert	Inserts a blank line immediately after the current one (editor only)
HT	Tab	Indents text
TH	Shift+Tab	Removes indentation
RD	Keypad-slash	Reformats a function (editor only)
TL	Ctrl+Alt+L	Toggles localisation of the current name
GL	Ctrl+Alt+G	Go to [line]
AO	Ctrl+Alt+,	Add Comments
DO	Ctrl+Alt+.	Delete Comments
AC		Align Comments

Table: Special Operations

Input Code	Keystroke	Description
IN	Insert	Insert on/off
LN	Keypad-minus	Line numbers on/off
ER	Enter	Execute
ED	Shift+Enter	Edit
TC	Ctrl+Enter	Trace
EP	Esc	Exit
QT	Shift+Esc	Quit

10 Session Colour Scheme

Within the Development Environment, different colours are used to identify different types of information. These colours are normally defined by registry entries and may be changed using the Colour Configuration dialog box as described later in this chapter.

In the Classic Edition, colours may alternatively be defined in the Output Translate Table (normally WIN.DOT). This table recognises up to 256 foreground and 256 background colours which are referenced by colour indices 0-255. These colour indices are mapped to physical colours in terms of their Red, Green and Blue intensities (also 0-255). Foreground and background colours are specified independently as Cnnn or Bnnn. For example, the following entry in the Output Translate Table defines colour 250 to be red on magenta.

```
C250: 255 0 0    + Red foreground
B250: 255 0 255 + Magenta background
```

The first table below shows the colours used for different session components. The second table shows how different colours are used to identify different types of data in edit windows.

Table 10-1: Default Colour Scheme - Session

Colour	Used for	Default
249	Input and marked lines	Red on White
250	Session log	Black on White
252	Tracer : Suspended Function	Yellow on Black
253	Tracer : Pendent Function	Yellow on Dark Grey
245	Tracer : Current Line	White on Red

Table 10-2: Default Colour Scheme Edit windows

Colour	Array Type	Editable	Default
236	Simple character matrix	Yes	Green on Black
239	Simple numeric	No	White on Dk Grey
241	Simple mixed	No	Cyan on Dk Grey
242	Character vector of vectors	Yes	Cyan on Black
243	Nested array	No	Cyan on Dk Grey
245	□OR object	No	White on Red
248	Function or Operator	No	White on Dk Cyan
254	Function or Operator	Yes	White on Blue

10.1 Syntax Colouring in the Session


As an adjunct to the overall Session Colour Scheme, you may choose to apply a *syntax colouring scheme* to the current Session Input line(s). You may also extend syntax colouring to previously entered input lines, although this only applies to input lines in the current session; syntax colouring information is not remembered in the Session Log.

Syntax colouring may be used to highlight the context of names and other elements when the line was entered. For example, you can identify global names and local names by allocating them different colours.

See *Installation/Configuration: Colour Selection Dialog* for further details.

11 The Session Window

The primary purpose of the session window is to provide a scrolling area within which you may enter APL expressions and view results. This area is described as the *session log*. Normally, the session window will have a menu bar at the top with a tool bar below it. At the bottom of the session window is a status bar. However, these components of the session may be extensively customised and, although this chapter describes a typical session layout, your own session may look distinctly different. A typical Session is illustrated below.



11.1 Window Management

When you start APL, the session is loaded from the file specified by the **session_file** parameter. The position and size of the session window are defined by the Posn and Size properties of the Session object `⌈SE`, which will be as they were when the session file was last saved.¹

The name of the active workspace is shown in the title bar of the window, and changes if you rename the workspace or)LOAD another.

You can move, resize, minimise or maximise the Session Window using the standard Windows facilities.

In addition to the Session Window itself, there are various subsidiary windows which are described later in the Chapter. In general, these subsidiary windows may be docked inside the Session window, or may be stand-alone floating windows. You may dock and undock these windows as required. The standard Session layout illustrated above, contains docked Editor, Tracer and SIStack windows.


Note that the session window is only displayed **when** it is required, that is, when APL requests input from or output to the session. This means that end-user applications that do not interact with the user through the session will not have an APL session window.

11.2 Docking


Nearly all of the windows used in the Dyalog IDE may be docked in the Session window or be stand-alone floating windows. When windows are docked in the Session, the Session window is split into resizable panes, separated by splitters. The following example, using the Status window, illustrates the principles involved. (The use of the Status window is described later in this Chapter.)

To start with, the Status window is hidden. You may display it by selecting the *Status* menu item from the *Tools* menu. It initially appears as a floating (undocked) window as shown below.

¹ In a Windows shortcut to an application, the Run: state may be one of "Normal window", "Minimised" and "Maximised". There are other states which can be set when a process is spawned. If the Run: state is Normal or Default, Dyalog will use the settings in the current session file to determine the state and size of the session on startup; for all other states (including Maximised and Minimised) these states will be used, superseding the settings in the current session file.




If you press the left mouse button down over the Status window title bar, and drag it, you will find that when the mouse pointer is close to an edge of the Session window, the drag rectangle indicates a docking zone as shown below. This indicates the space that the window will occupy if you now release the mouse button to dock it.




The next picture shows the result of the docking operation. The Session window is now split into 2 panes, with the Status window in the upper pane and the Session log window in the lower pane. You can resize the panes by dragging with the mouse.


You will notice that a docked window has a title bar (in this case, the caption is *Status*) and 3 buttons which are used to *Minimise*, *Maximise* and *Close* the docked window.




The next picture shows the result of minimising the Status window pane. All that remains of it is its title bar. The Minimise button has changed to a Restore button, which is used to restore the pane to its original size.



You can pick up a docked window and then re-dock it along a different edge of the Session as illustrated below.




Docking the Status window along the left edge of the Session causes the Session window to be split into two vertical panes. Notice how the title bar is now drawn vertically.



If you click the right mouse button over any window, its context menu is displayed. If the window is dockable, the context menu contains the following options:

Undock	Undocks the docked window. The window is displayed at whatever position and size it occupied prior to being docked
Hide Caption	Hides the title bar of the docked window
Dockable	Specifies whether the window is currently dockable or is locked in its current state. You can use this to prevent the window from being docked or undocked accidentally


The last picture shows the effect of using Hide Caption to remove the title bar. In this state, you can resize the pane with the mouse, but the Minimise, Maximise and Close buttons are not available. However, you can restore the object's title bar using its context menu.



12 Language Bar


The Language Bar is an optional window which is initially docked to the Session Window, to make it easy to pick APL symbols without using the keyboard.

If you hover the mouse pointer over a symbol in the Language Bar, a pop-up tip is displayed to remind you of its usage. If you click on a symbol in the Language Bar, that symbol is inserted at the cursor in the current line in the Session.



12.1 Popup Menu

If you click the right mouse button in the Language Bar, the context menu displays the following options:



Item	Description
Insert Space Before	Inserts a blank space before the current symbol (or blank)
Delete	Deletes the current symbol (or blank)
Help	Displays the (F1) help topic for the current symbol.
Use the Session font	Displays the symbols using the current Session font (by default the symbols are displayed using a small font)
Revert to defaults	Removes all user customisation and reverts to the standard Language Bar.

13 Entering and Executing Expressions

13.1 Introduction

The session contains the *input line* and the *session log*. The input line is the last line in the session, and is (normally) the line into which you type an expression to be evaluated.

The session log is a history of previously entered expressions and the results they produced.


If you are using a log file, the Session log is loaded into memory when APL is started from the file specified by the **log_file** parameter. When you close your APL session, the Session log is written back out to the log file, replacing its previous contents.

In general you type an expression into the input line, then press Enter (ER) to run it. After execution, the expression and any displayed results become part of the session log.

You can move around in the session using the scrollbar, the cursor keys, and the PgUp and PgDn keys. In addition, Ctrl+Home (UL) moves the cursor to the beginning of the top-line in the Log and Ctrl+End (DL) moves the cursor to the end of the last (that is, the *current*) line in the session log. Home (LL) and End (RL) move the cursor to the beginning and end respectively of the content on the line containing the cursor. That is, if a line of text starts or ends with multiple spaces, Home (LL) and End (RL) move the cursor to the left/right end of the text respectively, ignoring the multiple spaces. Repeating the keystroke will move to the limit of the line, including the spaces.

13.2 Deleting Lines

You may delete one or more lines from the Session using the DK command (Ctrl+Delete). This action removes the current line or the selected block of lines from the Session window and from the Session log. The removal is permanent and you will be prompted to confirm:



13.3 Auto Complete

As you start to enter characters in an APL expression, the *Auto Complete* suggestions pop-up window (AC for short) offers you a choice based upon the characters you have already entered and the current context.

For example, if you enter a `⎕`, AC displays a list of all the system functions and variables. If you then enter the character `r`, the list shrinks to those system functions and variables beginning with the letter `r`, namely `⎕REFS`, `⎕RL`, `⎕RSI`, and `⎕RTL`. Instead of entering the remaining characters, you may select the appropriate choice in the AC list. This is done by pressing the right cursor key.

If you begin to enter a name, AC will display a list of namespaces, variables, functions, operators that are defined in the current namespace. If you are editing a function, AC will also include names that are localised in the function header.

If the current space is a GUI namespace, the list will also include Properties, Events and Methods exposed by that object.

As an additional refinement, AC remembers a certain number of previous auto complete operations, and uses this information to highlight the most recent choice you made.

For example, suppose that you enter the two characters `)C`. AC offers you `)CLEAR thru'`, `)CS`, and you choose `)CS` from the list. The next time you enter the two characters `)C`, AC displays the same list of choices, but this time `)CS` is pre-selected.

You can disable or customise Auto Completion from the *Auto Complete* page in the Configuration dialog box which is described later in this chapter.

13.4 Executing an Expression

To execute an expression, you type it into the input line, then press Enter (ER). Alternatively, you can select *Execute* from the *Action* menu. Following execution, the expression and any displayed results become part of the session log.

Instead of entering a new expression in the input line, you can move back through the session log and re-execute a previous expression (or line of a result) by simply pointing at it with the cursor and pressing Enter. Alternatively, you can select *Execute* from the *Action* menu. You may alter the line before executing it. If you do so, it will be displayed using colour 249 (Red on White), the same as that used for the input line. When you press Enter the new line is copied to the input line prior to being executed. The original line is restored and redisplayed in the normal session log colour 250 (Black on White).

An alternative way to retrieve a previously entered expression is to use Ctrl+Shift+Bksp (BK) and Ctrl+Shift+Enter (FD). These commands cycle backwards and forwards through the *input history*, successively copying previously entered expressions over the current line. When you reach the expression you want, simply press Enter to re-run it. These operations may also be performed from the *Edit* menu in the session window.

13.5 Executing Several Expressions

You can execute several expressions, by changing more than one line in the session log before pressing Enter. Each line that you change will be displayed using colour 249 (Red on White). When you press Enter, these *marked* lines are copied down and executed in the order they appear in the log.

Note that you don't actually have to *change* a line to mark it for re-execution; you can mark it by overtyping a character with the same character, or by deleting a leading space for instance.

It is also possible to execute a contiguous block of lines. To do this, you must first select the lines (by dragging the mouse or using the keyboard) and then copy them into the clipboard using Shift+Delete (CT) or Ctrl+Insert (CP). You then paste them back into the session using Shift+Insert (PT). Lines pasted into the session are always marked (Red on White) and will therefore be executed when you press Enter. To execute lines from an edit window, you use a similar procedure. First select the lines you want to execute, then cut or copy the selection to the clipboard. Then move to the session window and paste them in, then press Enter to execute them.

13.6 Session Print Width (PW)

Throughout its history, APL has used a system variable `⎕PW` to specify the width of the user's terminal or screen. Session output that is longer than `⎕PW` is automatically wrapped and split into multiple lines on the display. This feature of APL was designed in the days of hard-copy terminals and has become less relevant in modern Windows environments.

Dyalog continues to support the traditional use of `⎕PW`, but also provides an alternative option to have the system wrap Session output according to the width of the Session Window. This behaviour may be selected by checking the Auto PW checkbox in the Session tab of the Configuration dialog box.

13.7 Using Find/Replace in the Session

The search and replace facilities work not just in the Editor as you would expect, but also in the Session. For example, if you have just entered a series of expressions involving a variable called `SALES` and you want to perform the same calculations using `NEWSALES`, the following commands will achieve it:


Enter `SALES` in the *Find* box, and `NEWSALES` in the *Replace* box. Now click the *Replace All* button. You will see all occurrences of `SALES` change to `NEWSALES`. Furthermore, each changed line in the session becomes marked (Red on White). Now click on the session and press Enter (or select *Execute* from the *Action* menu).

Once displayed, the *Find* or *Find/Replace* dialog box remains on the screen until it is either closed or replaced by the other. This is particularly convenient if the same operations are to be performed over and over again, and/or in several windows. *Find* and *Find/Replace* operations are effective in the window that previously had the focus.


14 Value Tips

If you hover the mouse pointer over a name in the Session or Debugger window, APL will display a pop-up window containing the value of the symbol under the mouse pointer.

For example, in the following picture the mouse pointer was moved over the name of the variable HW in the Session window.



The next picture illustrates the Value Tip displayed when the mouse is hovered over the name of the variable MAT.



Similarly, if you hover the mouse pointer over the name of a function, the system displays the body of the function as a pop-up, as illustrated below.

```
clear ws
HW←'Hello World'
MAT←3 4p12
)VAR5
HW      MAT
)COPY UTIL MATRIX
C:\Program Files\Dyalog\Dyalog APL-64 18.0 Unicode\ws\UTIL.dws saved Mon Apr 20 20:32:24 2020
)FNS
MATRIX
```


[0]	R←MATRIX X	A Converts scalars and vectors
[1]	R←(⌊2⌈1 1,pX)pX	A ... to 1 row matrices.
<		>
Function		Dyadic: 04/11/...

15 Value Tips for External Functions

Value Tips can also be used to investigate the syntax of external functions. If you hover over the name of an external function, the Value Tip displays its Function Signature.

For example, in the example below, the mouse is hovered over the external function `dt.AddMonths` and shows that it requires a single integer as its argument.

```
clear ws
[USING+ 'System'
dt←DateTime.Now
dt.MethodList
Add AddDays AddHours AddMilliseconds AddMinutes AddMonths
nMonth Equals FromBinary FromFileTime FromFileTimeUtc
TypeCode IsDaylightSavingTime IsLeapYear Parse ParseExact
ileTime ToFileTimeUtc ToLocalTime ToLongDateString ToLong
ing ToString ToUniversalTime TryParse TryParseExact
dt.AddMonths
```



Should the external function provide more than one signature, they are all shown in the Value Tip as illustrated below. Here the function `ToString` has four different overloads.


```
clear ws
[USING+'System'
dt+DateTime.Now
)CS dt
#.[System.DateTime]
)METHODS
Add      AddDays AddHours      AddMilliseconds AddMinutes      AddMonths
AddSeconds      AddTicks      AddYears      Compare CompareTo      DaysInMonth
Equals FromBinary      FromFileTime      FromFileTimeUtc FromODate
GetDateTimeFormats      GetHashCode      GetType GetTypeCode      IsDaylightSavingTime
IsLeapYear      Parse ParseExact      ReferenceEquals SpecifyKind      Subtract
ToBinary      ToFileTime      ToFileTimeUtc      ToLocalTime      ToLongDateString
ToLongTimeString      ToODate      ToShortDateString      ToShortTimeString
ToString      ToUniversalTime ToYear      ToYearExact
System.String ToString()
System.String ToString(System.String)
System.String ToString(System.IFormatProvider)
System.String ToString(System.String, System.IFormatProvider)
Function Signature
```

16 Configuring Value Tips

You may enable/disable Value Tips and select other options from the *General* tab of the *Configuration* dialog box as shown below.

You may experiment by changing the value of the delay before which Value Tips are displayed, until you find a comfortable setting.

Note that the colour scheme used to display the Value Tip for a function need not necessarily be the same colour scheme as you use for the function editor.



17 Session GUI

As distributed, the Session object `SE` contains two CoolBar objects. The first, named `SE.cbtop` runs along the top of the Session window and contains the toolbars. The second, named `SE.cbbot`, runs along the bottom of the Session windows and contains the statusbars.

The menubar is implemented by a MenuBar object named `SE.mb`.

The toolbars in `SE.cbtop` are implemented by four CoolBand objects, `bandtb1`, `bandtb2`, `bandtb3` and `bandtb4` each containing a ToolControl named `tb`.

The statusbars in `SE.cbbot` are implemented by two CoolBand objects, `bandtb1` and `bandtb2`, each containing a StatusBar named `sb`.

18 Session MenuBar

The Session MenuBar (`□SE.mb`) contains a set of menus as follows. Note that, unless specified, the descriptions refer to the Unicode Edition and the keyboard short-cuts will be different in Classic Edition.

18.1 The File Menu

The *File* menu (`□SE.mb.f i l e`) provides a means to execute those APL System Commands that are concerned with the active and saved workspaces. The contents of a typical File menu and the operations they perform are illustrated below.

Table 18-1: File Menu Operations

Item	Action	Description
New	[WSClear]	Prompts for confirmation, then clears the workspace
Open	[WSLoad]	Prompts for a workspace file name, then loads it
Copy	[WSCopy]	Prompts for a workspace file name, then copies it
Save	[WSSave]	Saves the active workspace
Save As	[WSSaveas]	Prompts for a workspace file name, then saves it
Export	[Makeexe]	Creates a bound executable, an OLE Server, an ActiveX Control, or a .NET Assembly. See <i>Installation/Configuration: Creating Executables</i>
Export to Memory	[MakeMemoryAssembly]	Creates an <i>in-memory</i> .NET Assembly
Close AppDomain	[CloseAppDomain]	Closes .NET App Domain
Drop	[WSDrop]	Prompts for a workspace file name, then erases it
Edit Text File	[EditTextFile]	Displays the <i>Open Source File</i> dialog to select Dyalog script file (.dyalog) or an arbitrary text file to open in the Editor. See Editing Scripts and Text Files
Print	[PrintFnsInNS]	Prints functions and operators in current namespace
Print Setup	[PrintSetup]	Invokes the print set-up dialog box
Continue	[Continue]	Saves the active workspace in CONTINUE.DWS and exits APL
Exit	[Off]	Exits APL

18.2 The Edit Menu

The *Edit* menu (`SE.mb.edit`) provides a means to recall previously entered input lines for re-execution and for copying text to and from the clipboard.

Table 18-2: Edit menu operations

Item	Action	Description
Back	[Undo]	Displays the previous input line. Repeated use of this command cycles back through the input history
Forward	[Redo]	Displays the next input line. Repeated use of this command cycles forward through the input history
Cut	[Delete]	Cuts the selected text to the clipboard
Copy	[Copy]	Copies the selection to the clipboard
Paste	[Paste]	Pastes the text contents of the clipboard into the session log at the current location. The new lines are <i>marked</i> and may be executed by pressing Enter
Paste Unicode	[PasteUnicode]	Same as <i>Paste</i> , but gets the Unicode text from the clipboard and converts to <code>AV</code> . Classic Edition only
Paste Non-Unicode	[PasteAnsi]	Same as <i>Paste</i> , but gets the ANSI text from the clipboard and converts to <code>AV</code> . Classic Edition only
Find	[Find]	Displays the <i>Find</i> dialog
Replace	[Replace]	Displays the <i>Find/Replace</i> dialog box

18.3 The View Menu

The *View* menu (`SE.mb.view`) toggles the visibility of the Session Toolbar, StatusBar, and Language Bar.

Table 18-3: View menu operations

Item	Action	Description
Toolbar		Shows/Hides Session toolbars
Statusbar		Shows/Hides Session status bars
LanguageBar		Shows/Hides Language Bar

18.4 The Window Menu

This contains a single action (`□SE.mb.windows`) which is to close all of the Edit and Trace windows and the Status window.

Table 18-4: Window menu operations

Item	Action	Description
Close all Windows	<code>[CloseAll]</code>	Closes all Edit and Trace windows

Note that `[CloseAll]` removes all Trace windows but does *not* reset the state indicator.

In addition, the *Window* menu will contain options to switch the focus to any subsidiary windows that are docked in the Session as illustrated above.

18.5 The Session Menu

The *Session* menu (`□SE.mb.session`) provides access to the system operations that allow you to load a session (`□SE`) from a session file and to save your current session (`□SE`) to a session file. If you use these facilities rarely, you may wish to move them to (say) the *Options* menu or even dispense with them entirely.

Table 18-5: Session menu operations

Item	Action	Description
Open	[SELoad]	Prompts for a session file name, then loads the session from it, replacing the current one. Sets the File property of □SE to the name of the file from which the session was loaded
Save	[SESave]	Saves the current session (as defined by □SE) to the session file specified by the File property of □SE
Save As	[SESaveAs]	Prompts for a session file name, then saves the current session (as defined by □SE) in it. Resets the File property of □SE

18.6 The Log Menu

The *Log* menu (□SE.mb.log) provides access to the system operations that manipulate Session log files.

Table 18-6: Log menu operations

Item	Action	Description
Clear	[NewLog]	Prompts for confirmation, then empties the current Session log
Open	[OpenLog]	Prompts for a Session log file, then loads it into memory, replacing the current Session log
Save	[SaveLog]	Saves the current Session log in the current log file, replacing its previous contents
Save As	[SaveLogAs]	Prompts for a file name, then saves the current Session log in it
Print	[PrintLog]	Prints the contents of the Session log

18.7 The Action Menu

The *Action* menu (□SE.mb.action) may be used to perform a variety of operations on the *current object* or the *current line*. The current object is the object whose name contains the cursor. The current line is that line that contains the cursor. The *Edit*, *Copy Object*, *Paste Object* and *Print Object* items operate on the current object. For example, if the name SALES appears in the session and the cursor is placed somewhere within it,

SALES is the current object and will be copied to the clipboard by selecting *Copy object* or opened up for editing by selecting *Edit*.

Table 18-7: Action menu operations

Item	Action	Description
Edit	[Edit]	Edit the current object
Trace	[Trace]	Executes the current line under the control of the Tracer
Execute	[Execute]	Executes the current line
Copy Object	[ObjCopy]	Copies the contents of the current object to the clipboard
Paste Object	[ObjPaste]	Pastes the contents of the clipboard into the current object, replacing its previous value
Print Object	[ObjPrint]	Prints the current object. Note that if the object is being edited, the version of the object displayed in the edit window is printed
Clear Stops	[ClearTSM]	Clears all □STOP , □MONITOR and □TRACE settings
Interrupt	[Interrupt]	Generates a weak interrupt
Reset	[Reset]	Performs)RESET

18.8 The Options Menu

The *Options* menu (□SE.mb.options) provides configuration options.

Table 18-8: Options menu operations

Item	Action	Description
Expose GUI Properties	[ExposeGUI]	Exposes the names of properties, methods and events in GUI objects
Expose Root Properties	[ExposeRoot]	Exposes the names of the properties, methods and events of the Root object
Expose Session Properties	[ExposeSession]	Exposes the names of the properties, methods and events of <code>SE</code>
Line Numbers	[LineNumbers]	Toggle the display of line numbers in edit and trace windows on/off
Disable traps in session	[DisableTrapsAtSuspension]	Disables the error trapping mechanism used by <code>Trap</code> and <code>TRAP</code> . This can be useful in debugging applications
Configure	[Configure]	Displays the <i>Configuration</i> dialog box
Colours	[ChooseColors]	Displays the <i>Colours Selection</i> dialog box

The values associated with the *Expose GUI*, *Expose Root* and *Expose Session* options reflect the values of these settings in your current workspace and are saved in it. When you change these values through the *Options* menu, you are changing them in the current workspace only.

The default values of these items are defined by the parameters **default_wx**, **PropertyExposeRoot** and **PropertyExposeSE** which may be set using the *Object Syntax* tab of the *Configuration* dialog.

18.9 The Tools Menu

The *Tools* menu (`SE.mb.tools`) provides access to various session tools and dialog boxes.

Table 18-9: Tools Menu Operations

Item	Action	Description
Explorer	[Explorer]	Displays the <i>Workspace Explorer</i> tool
Search	[WSSearch]	Displays the <i>Workspace Search</i> tool
Status	[Status]	Displays or hides the <i>Status</i> window
AutoStatus	[AutoStatus]	Toggle; if checked, causes the <i>Status</i> window to be displayed when a new message is generated for it
Event Viewer	[EventViewer]	Displays or hides the <i>Event Viewer</i>
Properties	[ObjProps]	Displays a property sheet for the current object

18.10 The Threads Menu

The *Threads* menu (`SE.mb.threads`) provides access to various session tools and dialog boxes.

Table 18-10: Threads Menu Operations

Item	Action	Description
Show Threads	[Threads]	Displays the <i>Threads Tool</i>
Show Stack	[Stack]	Displays the <i>SI Stack</i> window
Show Token Pool	[TokenPool]	Displays the <i>Token Pool</i> window
Auto Refresh	[ThreadsAutoRefresh]	Refreshes the <i>Threads Tool</i> on every thread switch
Pause on Error	[ThreadsPauseOnError]	Pauses all threads on error
Pause all Threads	[ThreadsPauseAll]	Pauses all threads
Resume all Threads	[ThreadsResumeAll]	Resumes all threads
Restart all Threads	[ThreadsRestartAll]	Restarts all threads

18.11 The Layout Menu

The *Layout* menu (`SE.mb.layout`) provides layout options for the Debugger.

Table 18-11: *Layout Menu Operations*

Item	Action	Description
Classic	APL callback	Detaches the Debugger window
Debugger at the bottom	APL callback	Docks the Debugger at the bottom (default)
Debugger on the left	APL callback	Docks the Debugger on the left

The selected option does *not* persist if you restart the session.

18.12 The Help Menu


The *Help* menu (`SE.mb.help`) provides access to the help system which is packaged as a single *Microsoft HTML Help* compiled help file named `help\dya\log.chm`.

Table 18-12: Help menu operations

Label	Action	Description
Getting Started	[GettingStarted]	Opens your web browser on the getting-started page on the Dyalog web site
Dyalog Help	[WelcomeHelp]	Opens help\dyalog.chm , starting at the Welcome page
Language Elements	[LangHelp]	Opens help\dyalog.chm , starting at the first topic in the Language Reference section
GUI Overview	[GuiHelp]	Opens help\dyalog.chm , starting at the first topic in the Object Reference section
Documentation Centre	[DocCenter]	Opens your web browser on help\index.html which displays an index to the on-line PDF documentation and selected internet links
Dyalog Web Site	[DyalogWeb]	Opens your web browser on the Dyalog home page
Email Dyalog	[DyalogEmail]	Opens your email client and creates a new message to Dyalog Support
Latest Enhancements	[RelNotes]	Opens help\dyalog.chm , starting at the first topic in the Version 20.0 Release Notes section. Previous Release Notes are also included for your convenience.
Read Me	[ReadMe]	Opens help\dyalog_readme.htm in your default web browser. Note that setup_readme.htm is also included in this directory
Third Party Licences	[LicenceHelp]	Opens help\dyalog.chm , starting at the first topic in the Licences for third-party components
About	[About]	Displays an <i>About</i> dialog box

19 Session Popup Menu

The Session popup menu (⌘SE .popup) is displayed by clicking the right mouse button anywhere in the Session or Editor window.



If the mouse pointer is over a visible object name, the popup menu allows you to edit, print, delete it or view its properties. Note that the name of the pop-up menu is specified by the `Popup` property of `ISE`.

Table: Session popup menu operations

Item	Action	Description
Edit	[Edit]	Edits the current object
Chart Wizard	SE.Dialog.Chart.DoChart	Opens Chart Wizard on current object
Print	[ObjPrint]	Prints the current object. Note that if the object is being edited, the version of the object displayed in the edit window is printed.
Delete	[ObjDelete]	Erases the current object
Properties	[GUIHelp]	Displays the <i>Object Properties</i> dialog box for the current object
Help	[Help]	Displays the help topic associated with the current object or the APL symbol under the cursor
Select All	[selectAll]	Selects all text (Editor only)
Cut	[Cut]	Deletes selected text
Copy	[Copy]	Copies the selection to the clipboard
Paste	[Paste]	Pastes the text contents of the clipboard into the session log at the current location. The new lines are <i>marked</i> and may be executed by pressing Enter.
Paste Unicode	[PasteUnicode]	Same as <i>Paste</i> , but gets the Unicode text from the clipboard and converts to AV
Paste Non-Unicode	[PasteAnsi]	Same as <i>Paste</i> , but gets the ANSI text from the clipboard and converts to AV
Copy Object	[ObjCopy]	Copies the contents of the current object to the clipboard
Paste Object	[ObjPaste]	Pastes the contents of the clipboard into the current object
	[LineNumbers]	Toggles line numbers on/off

Item	Action	Description
Line Numbers		
Align Comments	[AlignComments]	Aligns Comments to current column
Explorer	[Explorer]	Displays the <i>Workspace Explorer</i>
Search	[WSSearch]	Displays the <i>Find Objects</i> tool
Event Viewer	[EventViewer]	Displays the <i>Event Viewer</i>
Threads	[Threads]	Displays the <i>Threads Tool</i>
Status	[Status]	Displays the <i>Status</i> window
Colours	[ChooseColors]	Displays the <i>Colour Selection</i> dialog
Interrupt	[Interrupt]	Generates a weak interrupt
Open link	[OpenLink]	Opens the URL or link using the appropriate program. Unicode Edition only.
Copy link to clipboard	[CopyLink]	Copies the URL or link to the Windows Clipboard. Unicode Edition only.

For the last two items, see *Installation/Configuration: Configuration Dialog General Tab*.

20 The Session Toolbars

The Session toolbars are contained by four separate CoolBand objects, allowing you to configure their order in whichever way you choose. The tool buttons appear differently according to whether or not Native Look and Feel is enabled.


The bitmaps for the buttons displayed on the session tool bar are implemented by three ImageList objects owned by the CoolBar `SE.cbTop`. These represent the ToolButton images in their normal, highlighted and inactive states and are named `iln`, `ilh` and `ili` respectively. These images derive from three bitmap resources contained in `dyalog.exe` named `tb_normal`, `tb_hot` and `tb_inactive`.


If Native Look and Feel is enabled all three bitmap resources are mapped to a different set of images which are capable of reflecting the *Visual Styles* in use.

20.1 Native Look and Feel Enabled



20.2 Native Look and Feel Disabled





20.3 Workspace (WS) Operations

Button	Operation	Description
	Clear Workspace	Executes the system operation [WSClear] which asks for confirmation, then clears the workspace
	Load Workspace	Executes the system operation [WSLoad] which displays a file selection dialog box and loads the selected workspace
	Copy Workspace	Executes the system operation [WSCopy] which displays a file selection dialog box and copies the (entire) selected workspace
	Save Workspace	Executes the system operation [WSSaveas] which displays a file selection dialog box and saves the workspace in the selected file
	Export Workspace	Executes the system operation [MakeExe] which re-exports the workspace using the settings, parameters and options that were previously selected using the <i>Create Bound File</i> dialog

20.4 Object Operations

Button	Operation	Description
	Copy Object	Executes the system operation [ObjCopy] which copies the contents of the current object to the clipboard
	Paste Object	Executes the system operation [ObjPaste] which copies the contents of the clipboard into the current object, replacing its previous value
	Print Object	Executes the system operation [ObjPrint] . Prints the current object. Note that if the object is being edited, the version of the object displayed in the edit window is printed.
	Edit Object	Executes the system operation [Edit] which edits the current object using the standard system editor
	Edit using Array Notation	Edits the object using <i>Programming: Array Notation</i> . (With Native Look and Feel disabled the button is blank.)
	SharpPlot	Executes a defined function in JSE that runs the Chart Wizard to plot the current object using the chart User Command.


20.5 Tools

Button	Operation	Description
 	Search	Executes the system operation [WSearch] which displays the <i>Workspace Search</i> tool
 	Explorer	Executes the system operation [Explorer] which displays the <i>Workspace Explorer</i> tool
 	Clear all Stops	Executes the system operation [ClearTSM] which clears all ☐ STOP , ☐ MONITOR and ☐ TRACE settings

20.6 Edit Operations


Button	Operation	Description
	Copy Selection	Executes the system operation [Copy] which copies the selected text to the clipboard
	Paste Selection	Executes the system operation [Paste] which pastes the text in the clipboard into the current window at the insertion point
	Recall Last	Executes the system operation [Undo] which recalls the previous input line from the input history stack
	Recall Next	Executes the system operation [Redo] which recalls the next input line from the input history stack

20.7 Session Operations


Button	Operation	Description
	Load Session	Executes the system operation [SELoad] which displays a file selection dialog box and loads the selected Session File
	Boxing On/Off	Executes the user command]boxing to toggle boxing on/off.
	Select Font	Selects the font to be used in the Session window
	Select Font Size	Selects the size of the font to be used in the Session window

21 Session StatusBar

The session status bar is represented by two CoolBands each of which contains a StatusBar object. There are a number of StatusFields as illustrated below. Your own status bar may be configured differently.



Classic Edition



Unicode Edition

The StatusField objects owned by the session StatusBar may have special values of Style, which are used for operations relevant only to the Session. These styles are summarised in the tables shown below.

Table: Session status fields: first row

StatusField	Style	Description
hint	None	Displays hints for the session objects, or "Ready..." when APL is waiting for input
insrep	InsRep	Displays the mode of the Insert key (Ins or Rep)
mode	KeyMode	Displays the keyboard mode. This is applicable only to a multi-mode keyboard. The text displayed is defined by the Mn= string in the Input Table. Classic Edition Only
num	NumLock	Indicates the state of the Num Lock key. Displays "NUM" if Num Lock is on, blank if off
caps	CapsLock	Indicates the state of the Caps Lock key. Displays "Caps" if Caps Lock is on, blank if off
pause	Pause	Displays a flashing red "Pause" message when the Pause key is used to halt session output

Table: Session status fields: second row

StatusField	Style	Description
curobj	CurObj	Displays the name of the current object (the name last under the input cursor)
tc	ThreadCount	Displays the number of threads currently running (minimum is 1)
dqlen	DQLen	Displays the number of events in the APL event queue
trap	Trap	Turns red if <code>⌈TRAP</code> is set
si	SI	Displays the length of <code>⌈SI</code> . Turns red if non-zero
io	IO	Displays the value of <code>⌈IO</code> . Turns red if <code>⌈IO</code> is not equal to the value of the default_io parameter
ml	ML	Displays the value of <code>⌈ML</code> . Turns red if <code>⌈ML</code> is not equal to the value of the default_ml parameter

21.1 Toggle Status Fields

In the default Session files distributed with this release, the Statusfields used to display the value of `⌈IO`, the state of the Insert key (Ins/Rep) and the current keyboard mode (for example, Apl/Uni) have callback functions attached to `MouseDownClick`. This means that you can toggle the state of these fields by double-clicking with the left mouse button.

If you dislike this behaviour, you may set the Event property of the StatusFields to 0 and re-save the Session file. Alternatively, you may modify the buildse workspace and rebuild the Session from scratch.

22 Status Window

The Status window is used to display system messages and supplementary information. These include the operations that take place when you register an OLEServer or ActiveXControl.


The Status window is also used to display supplementary information about errors. For example if you attempt to use a .NET method with incorrect argument(s) you will get a suitable error message in the Status window, in addition to the DOMAIN ERROR message in the Session.

EXAMPLE

```

[USING←'System'
bd←[NEW DateTime(2015 4) ^ Typo (2015 4 30)
DOMAIN ERROR
bd←[NEW DateTime(2015 4) ^ Typo (2015 4 30)
^

```




The Status window can be explicitly displayed or hidden using the [Status] system operation which is associated with the *Tools/Status* menu item. There is also an option to have the Status window appear automatically whenever a new message is written to it. This option is selected using the [AutoStatus] system operation which is associated with the *Tools/AutoStatus* menu item.

Note that when you close the Status window, all the system messages in it are cleared.

23 Workspace Explorer

The Explorer tool is a modeless dialog box that may be toggled on and off by the system action [Explorer]. In a default Session, this is attached to a MenuItem in the *Tools* menu and a Button on the session toolbar.

The Explorer contains two sub-windows. The one on the left displays the namespace structure of your workspace using a TreeView. The right-hand window is a ListView that displays the contents of the namespace that is selected in the TreeView.



The Explorer is closely modelled on the *Windows Explorer* in Windows and the facilities it provides are very similar. For Windows users, the operation of this tool is probably self-explanatory. However, other users may find the following discussion useful.

23.1 Exploring the Workspace

The TreeView displays the structure of your workspace. Initially it shows the root and Session namespaces # and □SE. The icon for # is open indicating that its contents are those that appear in the ListView. You can expand or collapse the TreeView of the workspace structure by clicking on the mini-buttons (labelled + and -) or by double-clicking the icons. A single click on a namespace icon opens it and causes its contents to be displayed in the ListView. Another way to open a namespace is to double-click its icon in the ListView. Only one namespace can be open at a time. The icons used in the display are described below.

	Class
	Namespace
	GUI Namespace
	Function
	Variable
	Operator
	Indicates an object that has been erased
	Type Library
	.NET object

23.2 Viewing and Arranging Objects

The ListView displays the contents of a namespace in one of four different ways namely *Large Icons* view, *Small Icons* view, *List Icons* view or *Details* view. You can switch between views using the *View* menu or the tool buttons that are provided. In the first

three views, the system displays the name of the object together with an icon that identifies its type. In *Details* view, the system displays several columns of additional information. You may resize the column widths by dragging or double-clicking the lines in the header. To hide a column, drag its width to the far left. The additional columns are:

Location	This is the namespace containing the object. By definition, this is the same for all of the objects shown in the ListView and is normally hidden.
Type	Type of object.
Description	For a function or operator, this is the function header stripped of localised names and comment. For a variable, the description indicates its rank, shape and data type. For a namespace, the description indicates the nature of the namespace; a plain namespace is described as namespace, a GUI Form object is described as Form, and so forth.
Size	The size of the object as reported by <code>SIZE</code> .
Modified on	For functions and operators, this is the timestamp when the object was last fixed. For other objects this field is empty.
Modified by	For functions and operators, this is the name of the user who last fixed the object. For other objects this field is empty.

In any view, you may arrange the objects in ascending order of name, size, timestamp or class by clicking the appropriate tool button. In *Details* view, you may sort in ascending or descending order by clicking on the appropriate column heading. The first click sorts in ascending order; the second in descending order.

23.3 Moving and Copying Objects

You can move and copy objects from one namespace to another using drag-drop or from the Edit menu.

To *move* one or more objects using drag-and-drop editing:

1. Select the objects you want to move in the ListView.
2. Point to one of the selected objects and then press and hold down the left mouse button. When the drag-and-drop pointer appears, drag the object(s) to another namespace in the TreeView. To indicate which of the namespaces is the

current target, its name will be highlighted as you drag the selected object(s) over the TreeView.

3. Release the mouse button to drop the objects into place. The objects will disappear from the ListView because they have been moved to another namespace.

To *copy* one or more objects using drag-and-drop editing, the procedure is the same except that you must press and hold the Ctrl key before you release the mouse button.


You may also move and copy objects using the *Edit* menu. To do so, select the object(s) and then choose *Move* or *Copy* from the *Edit* menu. You will be prompted for the name of the namespace into which the objects are to be moved or copied. Enter the namespace and click OK.

23.4 Editing and Renaming Objects

You can open up an edit window for a function or variable by double-clicking its icon, or by selecting it and choosing *Edit* from the *Edit* menu or from the popup menu. You may rename an object by clicking its name (as opposed to its icon) and then editing this text. You may also select the object and choose *Rename* from the *Edit* menu or from the popup menu. Note that when you rename an object, the original name is discarded. Unlike changing a function name in the editor, this is not a copy operation.

23.5 Using the Explorer as an Editor


If you open the *Fns/Ops* item, the names of the functions and operators in the namespace are displayed below it alphabetically in the left (tree view) pane. When you select one of these names, the function itself is opened in the right (list view) pane.



You may use this feature to quickly cycle through the functions (or variables) in a namespace, pressing cursor up and cursor down in the left (tree view) pane to move from one to another.

You may also edit the function directly in the right (list view) pane before moving on to another.



23.6 The File Menu



The *File* menu, illustrated above, provides the following actions. All but *Print setup* and *Close* act on the object or objects that are currently selected in the ListView.

Print	Prints the object(s). Note that if an object is open in the editor, the version shown in the edit window is printed.
Print setup	Displays the Print Configuration dialog box.
Delete	Erases the object(s).
Rename	Renames the object. This option only applies when a single object is selected.
Properties	Displays a property sheet; one for each object that is selected.
Close	Closes the Explorer


23.7 The Edit Menu

The *Edit* menu, illustrated above, provides the following actions. The *Edit*, *Copy* and *Move* operations act on the object or objects that are currently selected in the *ListView*.

Edit	Opens an edit window for each of the objects selected.
Copy	Prompts for a namespace and copies the object(s) there.
Move	Prompts for a namespace and moves the object(s) there.
Select Functions	Selects all of the functions and operators in the ListView.
Select Variables	Selects all of the variables in the ListView.
Select None	Deselects all of the objects in the ListView.
Select All	Selects all of the objects in the ListView.
Invert Selection	Deselects the selected objects and selects all those that were not selected.

23.8 The Options Menu





The Options menu, illustrated above, provides the following actions.

Toolbar	Displays or hides the Explorer toolbar.
Toolbar Captions	Displays or hides the button captions on the Explorer toolbar.
StatusBar	Displays or hides the Explorer statusbar.
Type Libraries	Enables/disables the exploring of Type Libraries
Expand All	Expands all namespaces and sub-namespaces in the TreeView, providing a complete view of the workspace structure, including or excluding the Session object <code>SE</code> .
Refresh Now	Redisplays the TreeView and ListView with the current structure and contents of the workspace. Used if <i>Auto Refresh</i> is not enabled.
Auto Refresh	Specifies whether or not the Explorer immediately reflects changes in the active workspace.

If *Auto Refresh* is checked the Explorer is updated every time APL returns to desk-calculator mode. This means that it is always in step with the active workspace. If you have a large number of objects displayed in the Explorer, the update may take a few seconds and you may wish to prevent this by un-checking this menu item. If you do so, the Explorer must be explicitly updated by selecting the *Refresh Now* action.

23.9 The View Menu






The View menu, illustrated above, provides the following actions.

Columns	Allows you to select which columns you wish to display.
Large Icons	Selects <i>Large Icons</i> view in the ListView.
Small Icons	Selects <i>Small Icons</i> view in the ListView.
List Icons	Selects <i>List Icons</i> view in the ListView.
Details	Selects <i>Details</i> view in the ListView.
Scope	Allows you to choose whether the Explorer displays objects in local scope or in global scope.
Arrange Icons	Sorts the items in the ListView by name, type, size or date.
Line up Icons	Rearranges the icons into a regular grid.
Auto Arrange	If checked, the icons are automatically re-arranged when appropriate

23.10 The Tools Menu



The *Tools* menu, illustrated above, provides the following actions.


Find	Displays the Find Objects Tool
Go to	Prompts for a namespace and then opens that namespace in the TreeView, displaying its contents in the ListView
Go to Session Space	Opens the namespace in the TreeView control corresponding to the current space in the Session.
Set Session Space	Sets the current space in the Session to be the namespace that is currently open in the TreeView.

24 Browsing Classes


Classes are represented by



icons. The picture below shows 3 classes: Bird, Parrot and DomesticParrot.




If you open the # node in the left-hand pane, you see the contents of # as a tree.




24.1 Browsing Class Scripts


Selecting `DomesticParrot` in the left-hand pane brings up its Class Script in the right-hand pane.




... and selecting Parrot in the left-hand pane brings up the Class Script for Parrot.



... and finally, selecting `Bird` in the left-hand pane brings up the Class Script for `Bird`.



If you open a Class node, a tree appears to help you to navigate within the Class script. In the picture below, the user has opened the [Methods] node and then clicked on Speak. The system has responded by scrolling to (if necessary) and highlighting the appropriate section of the script.



25 Browsing Type Libraries


When the *View/Type Libraries* option is enabled, the *Workspace Explorer* allows you to:

- Browse the Type Libraries for all the COM server objects that are installed on your computer, whether or not they are loaded in your workspace.
- Load Type Libraries for COM objects
- Browse the Type Library associated with an OLEClient object that is already instantiated in the workspace.

If the Microsoft .NET Framework is installed, you may in addition:

- Load Metadata for specific .NET classes
- Browse the loaded Metadata, viewing information about classes, methods, properties and so forth.

If the *Type Libraries* option is enabled, the *Workspace Explorer* displays a folder labelled *TypeLibs* which, when opened, displays two others labelled *Loaded Libraries* and *Registered Libraries* as shown below.




25.1 Browsing Registered Libraries


If you open the Registered Libraries folder, the *Workspace Explorer* will display in the tree view pane the names of all the Type Libraries associated with the COM Server objects that are installed on your computer.

If you select one of these Library names, some summary information is displayed in the list view pane.

For example, the result of selecting the Microsoft Excel 16.0 Object Library is illustrated below.



If instead, you select the Registered Libraries folder itself, the list of Registered Type Libraries is displayed in the list view pane



25.2 Loading a Type Library

You can load a library shown in the tree view pane by selecting *Load* from its context menu.

In either case, a message box will appear asking you to confirm. The operation to load a Type Library may take a few moments to complete.


Notice that if the selected Library references any other libraries, they too will be loaded. For example, loading the *Microsoft Excel 16.0 Object Library* brings in the *Microsoft Office 16.0 Object Library* and the *Microsoft Visual Basic for Applications Extensibility 5.3 Library* too. It also contains references to a general library called the *OLE Automation Type Library*, so this is also loaded.

When you)SAVE your workspace, all of the Type Libraries that you have loaded will be saved with it. Note that type library information can take up a considerable amount of workspace.

25.3 Browsing Loaded Libraries

If you have already loaded any Type Libraries into the workspace, using the Workspace Explorer or as a result of creating one or more OLEClient objects, you can select and open the Loaded Libraries folder.

The picture below illustrates the effect of having loaded the Microsoft Excel 16.0 Object Library.



Notice that any external references to other libraries causes these to be brought in too.


If you select a loaded Type Library, summary information is displayed in the list view pane.

If you open a loaded Type Library, four sub-folders appear named *Object CoClasses*, *Objects*, *Enums* and *Event Sets* respectively.


25.4 Object CoClasses

A Type Library describes a number of *objects*. Typically, all of the objects have properties and methods, but only some of them, perhaps just a few, generate events. Objects which generate events are represented by *CoClasses*, each of which has a pointer to the object itself and a pointer to an event set.

For example, the Microsoft Excel 16.0 Object Library contains seven CoClasses named *Application*, *Chart*, *Global* etc as shown below.



Opening the Application folder you can see that the *Application* CoClass comprises the *_Application* object coupled with the *AppEvents* event set as shown below.




The specific methods, properties and events supported by the CoClass object can be examined by opening the appropriate sub-folder. The same information for these and other objects is also accessible from the *Objects* and *Event Sets* folders as discussed below.


25.5 Objects

The *Objects* folder contains several sub-folders each of which represents a named object defined in the library.

Each object folder contains two sub-folders named *Methods* and *Properties*. Selecting one of these causes the list of Methods or Properties to be displayed in the list view pane. The picture below shows the Methods exposed by the Microsoft Excel 16.0 Range object.




If you open the *Methods* or *Properties* subfolder, you can display more detailed information about individual Methods and Properties. For example, the following picture shows information about the *SaveAs* method exposed by the Microsoft Excel 16.0 Worksheet object.



This tells you that the *SaveAs* method takes up to 10 parameters of which the first, *Filename*, is mandatory and is of data type *VT_BSTR* (a character string). Note that *[in]* indicates that the parameter is an *input* parameter.

Incidentally, the optional *Fileformat* parameter is an example of a parameter whose value must be one of a list of Enumerated Constants. Even without looking at the documentation, the possible values can be deduced by browsing the *Enums* folder, with the results shown below.



You can therefore deduce that the following expression, executed in the namespace associated with the currently active worksheet, will save the sheet in comma-separated format (CSV) in a file called mysheet.csv:

```
SaveAs 'MYSHEET.CSV' xlCSV
```


or

```
SaveAs 'MYSHEET.CSV' 6
```

25.6 Event Sets

The *Event Sets* folder contains several sub-folders each of which represents a named set of events generated by the objects defined in the library.

If you open one of these event sets, the names of the events it contains are displayed in the tree view pane. If you then select one of the events, its details are displayed in the list view pane as shown below.




This example shows that when it fires, the SheetActivate event invokes your callback function with a single argument named *Sh* whose datatype is VT_DISPATCH (in practice, a Worksheet object).

25.7 Enums

The *Enums* folder will typically contain several sub-folders each of which represents a named set of enumerated constants.

If you select one of these sets, the names and values of the constants it contains are displayed in the list view pane as shown below.




26 Browsing .Net Classes

Microsoft supplies a tool for browsing .NET Class libraries called `ILDASM.EXE`².

As a convenience, the Dyalog APL Workspace Explorer has been extended to perform a similar task as `ILDASM` so that you can gain access to the information within the context of the APL environment.


The information that describes .NET classes, which is known as its *Metadata*, is part of the definition of the class and is stored with it. This Metadata corresponds to Type Information in COM, which is typically stored in a separate Type Library.

To gain information about one or more .NET Classes, open the Workspace Explorer, right click the *Metadata* folder, and choose *Load*.



This brings up the *Browse .NET Assembly* dialog box as shown below. Navigate to the .NET assembly of your choice, and click *Open*.


² `ILDASM.EXE` can be found in the .NET SDK and is distributed with Visual Studio




The .NET Classes provided with the .NET Framework are typically located in c:\WINDOWS\Microsoft.NET\Framework64\V4.0.30319 (on a 64-bit computer). The last named folder is the Version number.

The most commonly used classes of the .NET Namespace System are stored in this directory in an Assembly named `mscorlib.dll`, along with a number of other fundamental .NET Namespaces.

The result of opening this Assembly is illustrated in the following screen shot. The somewhat complex tree structure that is shown in the Workspace Explorer merely reflects the structure of the Metadata itself.




Opening the *System/Classes* sub-folder causes the Explorer to display the list of classes contained in the .NET Namespace *System* as shown in the picture below.



The *Constructors* folder shows you the list of all of the valid constructors and their parameter sets with which you may create a new instance of the Class by calling `New`. The constructors are those named `.ctor`; you may ignore the one named `.cctor`, (the class constructor) and any labelled as *Private*.

For example, you can deduce that `DateTime.New` may be called with three numeric (`Int32`) parameters, or six numeric (`Int32`) parameters, and so forth. There are in fact seven different ways that you can create an instance of a `DateTime`.




For example, the following statement may be used to create a new instance of `DateTime` (09:30 in the morning on 30th April 2001):

```
mydt ← NEW DateTime (2001 4 30 9 30 0)

mydt
30/04/2001 09:30:00
```

The *Properties* folder provides a list of the properties supported by the Class. It shows the name of the property followed by its data type. For example, the `DayOfYear` property is defined to be of type `Int32`.



You can query a property by direct reference:


```
mydt.DayOfWeek  
Monday
```

Notice too that the data types of some properties are not simple data types, but Classes in their own right. For example, the data type of the `Now` property is itself `System.DateTime`. This means that when you reference the `Now` property, you get back an object that represents an instance of the `System.DateTime` object:


```
mydt.Now
07/11/2001 11:30:48
[TS]
2001 11 7 11 30 48 0
```

The *Methods* folder lists the methods supported by the Class. The Explorer shows the data type of the result of the method, followed by the name of the method and the types of its arguments. For example, the `IsLeapYear` method takes an `Int32` parameter (`year`) and returns a `Boolean` result.

```
mydt.IsLeapYear 2000
1
```




Many of the reported objects are listed as *Private*, which means they are inaccessible to users of the class – you are not able to call them or inspect their value. For more information about classes, see *Object Oriented Programming: Introducing Classes*.



27 Find Objects Tool

The *Find Objects* tool is a modeless dialog box that may be toggled on and off by the system action [WSSearch]. In a default Session, this action is attached to a MenuItem in the Tools menu and a Button on the session toolbar.

The Find Objects tool allows you to search the active workspace for objects that satisfy various criteria.



27.1 Name

The *Named* field is used to search for objects with a particular name and is case-insensitive.

27.2 Containing Text

The *Containing Text* field is used to search for objects that contain a particular text string. The string search is controlled by the fields *Match Case*, *Use Regular Expressions*, *Match Whole Word* and *As Symbol Reference*.

Match Case specifies whether or not the string search (for name and/or contents) is case sensitive.

Use Regular Expressions specifies whether or not regular expressions are applicable. For example, if you enter `FOO*` into the field labelled *Containing Text* and check this box, the system will find objects that contain any text string starting with the 3 characters `FOO`.

If this box is not checked, the system will find objects that contain the 4 characters `FOO*`.

Text searches are performed using PCRE. If the *Use Regular Expressions* box is checked, the full range of regular expressions provided by PCRE are available for use. See *Dyalog APL Language: Pcre Specifications*.

Match Whole Word specifies whether or not the search is restricted to entire words.

As Symbol Reference specifies whether or not the search is restricted to APL symbols. If so, matching text in comments and other strings is ignored.

27.3 Object Criteria

Four check boxes are provided for you to specify the types of objects you wish to locate. For example, if you clear *Variables*, *Operators* and *Namespaces*, the system will only search for functions.

To make the search dependent upon modification, you must check the *Modified Objects* check box.

To locate objects modified by a particular user, enter the user name in the field labelled *Modified by*. Otherwise leave this blank.


To find objects which have been modified at a certain time or within a specified period of time, check the appropriate radio button and enter the appropriate dates or time spans.

If you wish to restrict the search to find only objects whose size is within a given range, check the box labelled *Size is between* and enter values into the fields provided.

27.4 Location Criteria

You can restrict the search to a particular namespace by typing its name into the field labelled *Look in*. You can further restrict the search by clearing the *Include sub-namespaces* and *Include Session namespace* check boxes. Clearing the former restricts the search to the root namespace or to the namespace that you have specified in *Look in*, and does not search within any sub-namespaces contained therein. Clearing the latter causes the system to ignore `USE` in its search.

When you press the *Find Now* button, the system searches for objects that satisfy all of the criteria that you have specified on all 3 pages of the dialog box and displays them in a *ListView*. The example below illustrates the result of searching the workspace for all objects containing references to the symbol *Speak*.



You may change the way in which the objects are displayed in the ListView using the *View* menu or the tool buttons, in the same manner as for objects displayed in the Workspace Explorer. You may also edit, delete and rename objects in the same way. Furthermore, objects can be copied or moved by dragging from the ListView in the Search tool to the TreeView in the Explorer.


If you wish to specify a completely new set of criteria, press the *New Search* button. This will reset all of the various controls of the dialog box to their default values.

28 Object Properties Dialog

The Object Properties dialog box displays detailed information for an APL object. It is displayed by executing the system action `[ObjProps]`. In a default Session, this is provided in the *Tools* menu, the Session popup menu and from the Explorer. An example (for a function) is shown below.


28.1 Properties Tab

The *Properties* tab displays general information about the object. For a function, this includes an extract from its header line, when it was last modified, and by whom.




28.2 Value Tab

For a variable, the *Values* tab displays the value of the variable. For a function, it displays its canonical representation.




28.3 Monitor Tab

The *Monitor* tab applies only to a function and displays the result of □MONITOR. The *Reset* button resets □MONITOR for the lines on which it is currently set. The *Set All Lines* button sets □MONITOR to monitor all the lines in the function. The *Clear All Lines* switches □MONITOR off.




28.4 COM Properties Tab

The *COM Properties* tab applies only to a function in an OLEServer or ActiveXControl namespace. The tab is used to define arguments and data types for an exported Method or Property. For further information, see *Interface Guide*.



28.5 Net Properties Tab


The *Net Properties* tab applies only to a function in a NetType namespace. The tab is used to define arguments and data types for an exported Method or Property. For further information, see .



29 Editor

29.1 Invoking the Editor

The editor may be invoked in several ways. From the session, you can use the system command `)ED` or the system function `□ED`, specifying the names(s) of the object(s) to be edited. You can also type the name of the object and then press Shift+Enter (ED), click the *Edit* tool on the tool bar, or select *Edit* from the *Action* menu. If you invoke the editor when the cursor is positioned on the empty input line, with a suspended function in the state indicator, the editor is invoked on the suspended function and the cursor is positioned on the line at which it is suspended. This is termed *naked edit*. These ways of invoking the editor apply only in the session window



In addition, there is a general *point-and-edit* facility which works in edit and trace windows too. Simply position the input cursor over a name and double-click the left mouse button. Alternatively, you can press Shift+Enter or select *Edit* from the *File* menu. The name can appear in the Session, in an Edit window, or in a Trace window; the effect is the same. Note that, in the Session, typing a name and pressing Shift+Enter is actually a special case of *point-and-edit*. Note also that a *naked edit* can be invoked by double-clicking the left mouse button in the empty input line.


The type of a new object defaults to function/operator unless the object is shadowed, in which case it defaults to a variable (vector of character vectors). You can however specify the type of a new object explicitly using `)ED` or `[]ED`. For example, typing `)ED €LIST -MAT` in a `CLEAR WS` would create Edit windows for a vector of character vectors named `LIST` and a character matrix called `MAT`. See `)ED` or `[]ED` for details.

If the name is not already being edited, it is assigned a new edit window. If you edit a name which is already being edited, the system *focuses* on the existing edit window rather than opening a new one. Edit windows are displayed using the colour combination associated with the type of the object being edited.

If the name is followed by a line-number in square brackets, for example, `MyFn[1000]`, the Editor will position the cursor on the specified line. This applies to all methods of invoking the Editor, except `[]ED`. There must not be a space between the last character of the name and the `"["`.

29.2 Window Management (Standard)

Unless *Classic Dyalog mode* is selected (*Options/Configure/Trace/Edit*), the Editor is a Multiple Document Interface (MDI) window that may be a stand-alone window, or be docked in the Session window. Each of the objects being edited is displayed in a separate sub-window. Individual edit windows are managed using standard MDI facilities.





The first edit sub-window window is created at the position specified by the **edit_first_y** and **edit_first_x** parameters which are specified in terms of the size of a character in the current font relative to the top-left corner of the main Editor window. Subsequent ones are staggered according to the values of the **edit_offset_y** and **edit_offset_x** parameters.

The initial size of an edit window is specified by the **edit_rows** and **edit_cols** parameters.

Note that the blue triangles indicate that the line of text is longer than can be displayed in the current Edit window.


By default, the Session has the Editor docked along the right edge of the Session window. When you edit a function, the Editor window automatically springs into view as illustrated below.



You can resize the Editor pane to view more or less of the Session itself, by dragging its title bar.

Using the buttons in the title bar, you can instantly maximise the Editor pane to allow you to concentrate on editing, or minimise it to reveal the entire Session. In either case, the restore button quickly restores the 2-pane layout.

The picture below shows the effect of maximising the Editor. The BUILD_SESSION edit window is itself maximised within the Editor too.



Note that when the Editor has the focus, the Editor menubar is displayed in place of the Session menubar.

29.3 Window Management (Classic Dyalog mode)


If *Classic Dyalog mode* is selected (*Options/Configure/Trace/Edit*) each Edit window is a top-level window created as a child of the Session window. This means that normally Edit windows appear on top of the Session. However, if the **SessionOnTop** parameter is set, the Session window, when given the focus, will appear on top of Edit windows.

When the first Edit window is opened, its position is determined as follows:


- If the **ClassicModeSavePosition** parameter is set, the first Edit window is displayed at the position that was previously occupied by the most recently saved Edit window.

- If not, the first edit window is created at the position specified by the **edit_first_y** and **edit_first_x** parameters which are specified in terms of the size of a character in the current font relative to the top-left corner of the screen.

The initial size of an edit window is specified by the **edit_rows** and **edit_cols** parameters.



Subsequent ones are staggered according to the values of the **edit_offset_y** and **edit_offset_x** parameters.



29.3.1 Moving around an edit window

You can move around in the edit window using the scrollbar, the cursor keys, and the PgUp and PgDn keys. In addition, Ctrl+Home (UL) moves the cursor to the beginning of the top-line in the object and Ctrl+End moves the cursor to the end of the last line in the object. Home (LL) and End (RL) move the cursor to the beginning and end respectively of the content on the line containing the cursor. That is, if a line of text starts or ends with multiple spaces, Home (LL) and End (RL) move the cursor to the left/right end of the text respectively, ignoring the multiple spaces. Repeating the keystroke will move to the limit of the line, including the spaces.

29.3.2 Closing an edit window

Closing an edit window from its System Menu has the same effect as choosing Exit from the *File* Menu; namely that it fixes the object in the workspace and then closes the edit window.

29.3.3 Minimising an edit window

Minimising an edit window causes it to be displayed as a Dyalog *Edit* icon, with the name of the object underneath. The edit window can be restored in the normal way, or by an attempt to re-edit the same name.

29.4 Selecting Text

You may select text in an Editor window by clicking the left or right mouse button over any character, dragging out a highlighted area, and then releasing the mouse button. When using the left button, moving up or down one line extends the selection from the beginning of that line, so the selection may be ragged. The right button selects a rectangular box.

29.4.1 Editor ToolBar

The buttons on the Editor toolbar vary according to what you are editing:

Array




Function or operator



Class or namespace script



Button	Description
  Toggle line numbers	Toggles Line numbers on/off
  Toggle tree view	Toggles the treeview on/off. See Editing Classes .
 Edit in Array Notation	Switches Editor to Array Notation syntax if possible.
  Previous Location	Certain operations (such as selecting an item in the treeview) reposition the caret in the Editor window. This button moves the caret back to its previous location.
  Comment selected text	Inserts a comment symbol to the left of the selection in each of the selected lines.
  Uncomment selected text	Removes the comment symbol (if present) from the left-most column of the selection in each of the selected lines.
  Saves changes and closes the current edit window	Saves changes and closes the current edit window

Button	Description
Save changes and return	
 Search Box	Enter search text and click one of the following two buttons
 Search for Next Match	Locates the next occurrence of the search text
 Search for Previous Match	Locates the previous occurrence of the search
 Search hidden text	Determines whether or not the search examines collapsed blocks
 Match case	Specifies whether or not the search is case-sensitive
 Match whole word	Specifies whether or not the search matches a whole word
	Specifies whether or not the search uses PCRE regular expressions

Button	Description
 Use Regular Expressions	
 Refactor text as method	Inserts a Method template for the selected name
 Refactor text as field	Inserts a Field template for the selected name
 Refactor text as property	Inserts a Property template for the selected name

29.4.2 The File Menu

The *File* menu is displayed when editing a simple object and provides the following options.

Item	Description
Fix	Fixes the object in the workspace, but leaves the edit window open. Edit history is also preserved. If the data has changed and the confirm_fix parameter is set, you will be prompted to confirm.
Fix whole script	(Disabled unless editing a script)
Open File	Allows you to edit a Dyalog script file or an arbitrary text file.
Save	Saves the file being edited.
Save As	Renames and saves the file being edited.
Always ask on close	Toggles the value of the confirm_fix parameter.
Edit	Opens an Edit window on the name under the cursor (Disabled when there is no such name).
Print	Prints the current contents of the edit window
Print Setup	Displays the <i>Print Configuration</i> dialog box
Properties	Displays the <i>Object Properties</i> dialog box for the current object
Exit (and Fix)	Fixes the object in the workspace and closes the edit window. If the data has changed and the confirm_exit parameter is set, you will be prompted to confirm
Exit (and fix script)	(Disabled unless editing a script)
Exit and discard changes	Closes the edit window, but does not fix the object in the workspace. If the data has changed and the confirm_abort parameter is set, you will be prompted to confirm.

29.4.3 The File Menu (editing a script)

When a script is being edited, the File menu shows these items:

Fix whole script	Fixes the entire script
Fix only functions	Fixes only the functions in the script.
Exit and fix whole script	Fixes the entire script, and exits the Editor.
Exit and fix only functions	Fixes only the functions in the script and exits the Editor.

Editing Scripts

Suppose that you have a Class that manages a list of items in a shared Field, so somewhere in the script would appear a line such as:-

```
:Field shared public List←0
```

You run your application for a bit, and `List`, which was initially empty, gets updated as new instances of the Class are created. You then edit the Class to add a new function, or fix a bug. In this instance, when you exit the editor you **may not** want `List` to be reset back to the empty vector although you **do want** the new version of the function(s) in the Class to be fixed.

Nevertheless whenever you edit the Class *when it is not suspended*, you probably always want the entire script to be re-fixed, and `List` re-initialised.

The options in the *File* menu shown above provide for these alternatives.

In addition, the Configuration Dialog (see *Installation/Configuration: Configuration Dialog Trace Edit Tab*) allows you to define the behaviour of the keystrokes and for both the suspended case and the non-suspended case. This association will be displayed against the appropriate action according to the state of the script you are editing.

29.4.4 The Edit Menu

The *Edit* menu provides a means to execute those commands that are concerned with editing text. The Edit menu and the actions it provides are described below.

Item	Description
Reformat	Reformats the function body in the edit window, indenting control structures as appropriate.
Reformat Scripts Automatically	If checked, the Editor will automatically reformat a Dyalog script when it loads it.
Undo	Undoes the last change made to the object. Repeated use of this command sequentially undoes each change made since the edit window was opened.
Redo	Re-applies the previous undone change. Repeated use of this command sequentially restores every undone change.
Select All	Selects and highlights the entire contents of the Edit window.
Cut	Copies the selected text to the clipboard and removes it from the object.
Copy	Copies the selected text to the clipboard.
Paste	Copies the text in the clipboard into the object at the current location of the input cursor.
Paste Unicode	Same as <i>Paste</i> , but gets the Unicode text from the clipboard and converts to □AV
Paste Non-Unicode	Same as <i>Paste</i> , but gets the ANSI text from the clipboard and converts to □AV .
Clear	Deletes the selection or the character under the cursor. Has no effect on the clipboard
Open Line	Inserts a blank line immediately below the current one.
Delete Line	Deletes the current line.
Goto Line	Prompts for a line number, then positions the cursor on that line.
Find	Displays the <i>Find</i> dialog box.
Replace	Displays the <i>Replace</i> dialog box.
Highlight All Matches	If checked, all strings in the object being edited that match the search string are highlighted. The highlighted items change dynamically as the search string is entered or changed.

Item	Description
Comment selected lines	Adds a comment symbol to the beginning of all selected lines.
Uncomment selected lines	Removes a comment symbol from the beginning of all selected lines.
Toggle Local name	Adds or removes the name under the cursor to/from the function header line.

The *Find* and *Replace* items are used to display the *Find* dialog box and the *Find/Replace* dialog box respectively. These boxes are used to perform search and replace operations and are described later in this Chapter.

Once displayed, each of the two dialog boxes remains on the screen until it is either closed or replaced by the other. This is convenient if the same operations are to be performed over and over again, and/or in several windows. *Find* and *Find/Replace* operations are effective in the window that previously had the focus.

29.4.5 The Syntax Menu

The *Syntax* menu provides options related to the display of data in the *Edit* window. The initial items are concerned with syntax colouring; for workspace objects, the default is *APL* for functions and operators, and *Nothing* for variables. The final item toggles how arrays are displayed in the Editor.

Item
Nothing
Colour as APL
Colour as JSON
Colour as XML
Show as Array Notation

29.4.6 The Window Menu

The *Window* menu provides a means to control the display of the various edit windows. The *Window* menu and the actions it provides are described below.

Item	Description
Close All Windows	Closes all the edit windows. If <i>Confirm on Edit Window Closed</i> is checked, you will be prompted to confirm for any objects that you have changed.
Cascade	Arranges the edit windows in overlapping fashion.
Tile Vertically	Arranges the edit windows tiled one above the other.
Tile Horizontally	Arranges the edit windows tiled alongside one another.
Arrange Icons	Arranges any minimised edit windows.
Editor	Allows you to Select the edit window corresponding to the named object.

29.4.7 The Refactor Menu

The *Refactor* menu appears only when editing a Class and provides the following options. In each case, you must highlight a name in the Edit window, and then select one of these options to insert the appropriate template for that name into the body of the Class.

Item	Description
Add text as Field	Inserts a Field template for the selected name.
Add text as Property	Inserts a Property template for the selected name.
Add text as Method	Inserts a Method template for the selected text name.

29.4.8 The View Menu

The *View* menu provides the following actions.

Item	Description
Trace	Displays a column to the left of the function that displays ☐ TRACE settings
Stop	Displays a column to the left of the function that displays ☐ STOP settings
Monitor	Displays a column to the left of the function that displays ☐ MONITOR settings
Line Numbers	Toggles the display of line numbers on/off.
Function Line Numbers	Toggles the display of line numbers on <i>individual functions</i> on/off. This option is only enabled when editing a Class, Namespace script or Interface.
Tree View	Toggles the display of the treeview in the left-hand pane.
Compiler Errors	If enabled, the Editor identifies which lines of code would not compile. These are identified by a red vertical line to the left. Hovering over the red bar gives you a pop-up telling you what the compiler didn't like about that line of the function.
Outlining	Turns outlining on and off.
Expand All Outlines	Expands all outlines.
Collapse All Outlines	Collapses all outlines
Expand all Outlines below here	Expands all outlines below the level of the current line.

Function Line Numbers

The *Function Line Numbers* option in the Editor menu provides an additional level of line-numbering. If selected, line numbers are displayed *independently* on each individual function (or operator) in the Class. This option is only enabled when you are editing a Class, Namespace script or Interface, and is disabled for all other types of object.

Note that function line-numbering and general line-numbering are independent options and it is possible to have the entire Class numbered (from [0] to the number of lines in the Class) in addition to having line-numbering on each individual function.

29.5 Using the Editor

29.5.1 Creating a New Function

Type the name of your function and invoke the editor. To do this you may press Shift+Enter, or select *Edit* from the *Action* menu, or double-click the left button on your mouse, or click the *Edit* tool in the tool bar. A new window will appear on the screen with the name you have chosen displayed in the top border. The name is also inserted in the function header and the cursor positioned to the right. The new window is automatically given the input focus.

29.5.2 Line-Numbers on/off

Try changing the line numbers setting by clicking on the *Line Numbers* option in the *Options* menu. Note that line-numbering on/off is effective for **all** edit windows.

29.5.3 Adding Lines

If the keyboard is in *Insert* mode, pressing Enter at the end of a line opens you a new blank line under the current one and positions the cursor there ready for input. You can also open a new blank line by pressing Ctrl+Shift+Insert (OP).

If the cursor is at the end of the last line in the function, pressing Enter adds another line even if the keyboard is in Replace mode.

29.5.4 Indenting Text

Dyalog allows you to insert leading spaces in lines of a function and (unless the **AutoFormat** parameter is set) preserves these spaces between editing sessions. Embedded spaces are however discarded. You can enter spaces using the space bar or the Tab key. Pressing Tab inserts spaces up to the next tab stop corresponding to the value of the **TabStops** parameter. If the **AutoIndent** parameter is set, new lines are automatically indented the same amount as the preceding line.

29.5.5 Reformatting

The RD command (which by default is mapped to Keypad-Slash) reformats a function according to your **AutoFormat** and **TabStops** settings. See *Installation/Configuration: Configuration Dialog Trace Edit Tab*.

29.5.6 Deleting Lines

To delete a block of lines, select them by dragging the mouse or using the keyboard and then press Delete or select *Clear* from the *Edit* menu. A quick way to delete the current line without selecting it first is to press Ctrl+Delete (DK) or select *Delete Line* from the *Edit* menu.

29.5.7 Copying Lines

Select the lines you wish to copy by dragging the mouse or using the keyboard. Then press Ctrl+Insert or select *Copy* from the *Edit* menu. This action copies the selection to the clipboard. Now position the input cursor where you wish to make the copy and press Shift+Insert, or select *Paste* from the *Edit* menu. You can also use this method to duplicate a ragged block of text.

To copy text using drag-and-drop editing:

1. Select the text you want to move.
2. Hold down the Ctrl key, point to the selected text and then press and hold down the left mouse button. When the drag-and-drop pointer appears, drag the cursor to a new location.
3. Release the mouse button to drop the text into place.

29.5.8 Moving Lines

Select the lines you wish to copy by dragging the mouse or using the keyboard. Then press Shift+Delete or select *Cut* from the *Edit* menu. This action copies the selection to the clipboard and removes it. Now position the input cursor at the new location and press Shift+Insert, or select *Paste* from the *Edit* menu. You can also use this method to move a *ragged* block of text.

To move text using drag-and-drop editing:

1. Select the text you want to move.
2. Point to the selected text and then press and hold down the left mouse button. When the drag-and-drop pointer appears, drag the cursor to a new location.
3. Release the mouse button to drop the text into place.

29.5.9 Joining and Splitting Lines

To join a line to the previous one: select Insert mode; position the cursor on the first character in the line; press Bksp.

To split a line: select Insert mode; position the cursor at the place you want it split; press Return.

29.5.10 Toggling Localisation

The TL command (which by default is mapped to Ctrl+Up) toggles the localisation of the name under the cursor. If the name is currently global, pressing Ctrl+Up causes the name to be added to the list of locals in the function header. If the name is already localised, pressing Ctrl+Alt+I removes it from the header.

29.5.11 Matching Occurrences

When you position the caret over a name, control word, or simple text or to the right of a parenthesis, bracket, or brace, matching occurrences are identified (by a thin box). In particular :

- matching occurrences of the word under the caret (except the actual instance under the caret)
- matching parentheses, brackets and braces
- all control words associated with the one under the caret. For example, if the caret is on `:If`, then nested `:AndIf`, `:OrIf`, `:Else` and the final `:EndIf` are identified.

29.5.12 Aligning Comments

When you press the key, or select *Align Comments* in the Editor's context menu, the alignment of the comments in every line in the function will be changed so that the left-most comment (Lamp) symbol is in the same column as the cursor, except that:


- Comment symbols that are preceded only by white space, that is, comments in lines that contain no code, are ignored and are not adjusted in any way.
- Comment symbols that lie between the first column and the first tab stop will remain in or be moved to the first column. For information on setting tab stops, see *Dyalog for Microsoft Windows Installation and Configuration Reference Guide: Installation/Configuration: Configuration Dialog Trace Edit Tab*.
- Comment symbols will not move further left than the end of the statement.

When a comment is re-aligned, text to the right of the left-most comment symbol (including spaces and other comment symbols) will remain fixed in relation to that symbol.

Note that there is no keystroke associated with this command by default; you must define one. See *Dyalog for Microsoft Windows Installation and Configuration Reference Guide: Installation/Configuration: Configuration Dialog Keyboard Shortcuts Tab*.

29.5.13 Stop, Trace and Monitor Controls

If any of the *Stop*, *Trace*, and *Monitor* options of the *View* menu are set, the Editor displays an area to the left of the function body containing up to 3 columns. If a function line is enabled by `TRACE`, `STOP` or `MONITOR` the corresponding column displays a yellow circle (trace), red circle (stop) or clock symbol (monitor).



When you move the mouse-pointer over this area, the pointer displays the appropriate symbol and you can toggle the corresponding setting on and off by clicking the mouse.

29.5.14 White Space in Source Code

Settings that impact the automatic reformatting of code can cause changes to whitespace – this can be interpreted as changes to the source code. This means that:


- opening a scripted object in the Edit window can cause the source of that object to change (when closing an Edit window, you might be prompted to save a function even though you have not made any changes to it).
- viewing an object can change its file timestamp; source code management systems can subsequently report changes due to the changed file timestamp.
- source code changes resulting from reformatting will be evident in the results of system functions such as `AT`, `SRC`, `CR`, `VR` and `NR`.

29.5.15 Outlining

When you are editing a function, outlining identifies the blocks of code within control structures, and allows you to collapse and expand these blocks so that you can focus your attention on particular parts of the code

The picture below shows the result of opening the function `SE.cbtop.TB_POPUP`.

)ED `SE.cbtop.TB_POPUP`



Notice that the various control structure blocks are delineated by a treeview diagram.

- When you hover the mouse pointer over one of the boxes that mark the start of a block, the line marking the extent of that block becomes highlighted, as shown above.
- If you click on a




box, the corresponding section collapses, so that only the first line of the block is displayed, as shown below.

- If you click on a



box, the corresponding section is expanded.




29.5.16 Sections

Functions and scripted objects (classes, namespaces etc.) can be subdivided into Sections with `:Section` and `:EndSection` statements. Both statements may be followed by an optional and arbitrary name or description. The purpose is to split the function up into sections that you can open and close in the Editor, thereby aiding readability and code management. Sections have no effect on the execution of the code, but must follow the nesting rules of other control structures.


The following picture illustrates the use of sections in a function called `DumpWindow`. The function is divided into 5 sections named `Comments`, `Init`, `NAs`, `MakeBitmap` and `CopyToClipboard`.

The first picture shows the function with all sections closed.




The next picture shows the effect of opening the `Comments` section. Notice how this is delineated by the statements:

```
:Section Comments
...
:EndSection Comments
```



And with the `Init` section opened too:



Finally, with all the sections opened:

29.5.17 Array Notation

The Editor allows you to edit arbitrary arrays using *Programming: Array Notation*.

Any of the following invokes it:

- Within the **Editor**, invoke the *Edit* command (<ED>) when the cursor is not over any name.
- In the **session**, call the system command)ED and prefix the variable name with a diamond character, for example,)ED ♦foo.
- In the **session**, call the system function □ED with a left argument '♦', for example, '♦' □ED 'foo'.
- In the **Object** toolbar, click the



button when the cursor is over the name of an array. This opens the array in the Editor in the same way as)ED ♦foo.


- In the **Editor's** toolbar, click the



button. This toggles whether the **Editor** contents are displayed using array notation.

- From the **Editor's Syntax** menu select *Show as Array Notation*.

The Editor presents the array for you to edit in array notation.



When using array notation in the **Editor**, the *Reformat* command (<RD>) evaluates the content and regenerates it using array notation.

You can include APL expressions: the Editor will evaluate them when you fix or format the array. This allows you to insert the value of one array into another by typing its name and pressing **<RD>**.

For example, in the session:

```
x←[
  (
    'HELLO'
  )
  (
    'WORLD'
  )
]
)ED ♦ x
```


In the Editor, insert **⎕C**:

```
⎕C[
  (
    'HELLO'
  )
  (
    'WORLD'
  )
]
```

It reformats as

```
[
  (
    'hello'
  )
  (
    'world'
  )
]
```


and fixes as




29.5.18 Editing Classes

The picture below shows the result of opening the `ComponentFile` class. Notice how each function is delineated separately and that each function is individually line-numbered.


```
)ED ComponentFile
```



The outlining feature really comes into its own when editing classes because you can collapse and expand whole functions. The picture below shows the effect of collapsing all but the Append method.




When you edit a class, a separate treeview is optionally displayed in the left pane to make it easy to navigate within the class. When you click on a name in the treeview, the editor automatically scrolls the appropriate section into view (if necessary) and positions the edit cursor at its start. The picture below illustrates the result of opening the [Methods] section and then clicking on *Rename*.




29.5.19 Sections within Scripts

Scripts can also be subdivided into Sections using `:Section` and `:EndSection` statements. As with single functions, the purpose is only to split the script up into sections that you can open and close in the Editor. Sections have no effect on the execution of the code.

The following picture illustrates a Class named `actuarial` which, for editing purposes, has been sub-divided into five separate Sections named `Main`, `MenuHandlers`, `Validation`, `Utilities` and `OldCode`. In this picture, all the Sections are closed.



The next picture shows the effect of opening just the `Main` section.



Notice that this section is delimited by the two statements:

```

:Section Main
...
:EndSection Main

```


In this picture the 3 functions within the Main section are temporarily closed.

Similarly, the section called Validation is delimited by:

```


:Section Validation
...
:EndSection Validation

```



30 Find and Replace Dialogs

The *Find* and *Find/Replace* dialog boxes are used to locate and modify text in an Edit window.



Search For	Enter the text string that you want to find. Note that the text from the last 10 searches is available from the drop-down list. If appropriate, the search text is copied from the Find Objects tool. This makes it easy to first search for functions containing a particular string, and then to locate the same string in the functions.
Replace With	Enter the text string that you want to use as a replacement. Note that the text from the last 10 replacements is available from the drop-down list.
Match Case	Check this box if you want the search to be case-sensitive.
Match Whole Word	Check this box if you want the search to only match only whole words.
Use Regular Expressions	Check this box if you want to use Regular Expressions.
Move Dialog if Hiding Match	If checked, the <i>Find</i> or <i>Find/Replace</i> dialog box will automatically position itself so as not to obscure a matched search string in the edit window.
Find Next After Replace	If checked, following a replace operation, the selection will move to the next occurrence of the target string in the edit window.
Direction	Select <i>Up</i> or <i>Down</i> to control the direction of search.

30.1 Using Find and Replace

Find and Replace work on the concept of a *current search string* and a *current replace string* which are entered using the *Find* and *Find/Replace* Dialog boxes. These boxes also contain buttons for performing search/replace operations.

Suppose that you want to search through a function for references to the string "Adam". It is probably best to work from the start of the function, so first position the cursor there (by pressing Ctrl+Home). Then select *Find* from the *Edit* menu. The *Find* Dialog box will appear on your screen with the input cursor positioned in the edit box awaiting your input. Type "Adam" and click the *Find Next* button (or press Return), and the cursor will locate the first occurrence. Clicking *Find Next* again will locate the second occurrence. You can change the direction of the search by selecting *Up* instead of *Down*. You could search another function for "Adam" by opening a new Edit window for it and clicking *Find Next*. You do not have to redefine the search string.

Now let us suppose that you wish to replace all occurrences of "Adam" with "Amanda". First select *Replace* from the *Edit* menu. This will cause the *Find Dialog* box to be replaced by the *Find/Replace Dialog* box. Enter the string "Amanda" into the box labelled *Replace With*, then click *Replace All*. All occurrences of "Adam" in the current Edit window are changed to "Amanda". To repeat the same global change in another function, simply open an edit window and click *Replace All* again. If instead you only want to change particular instances of "Adam" to "Amanda" you may use *Find Next* to locate the ones you want, and then *Replace* to make each individual alteration.

Text searches are performed using PCRE. If the *Use Regular Expressions* box is checked, the full range of regular expressions provided by PCRE are available for use. See *Dyalog APL Language: Pcre Specifications*.

30.2 Saving and Quitting

To save the function and terminate the edit, press Esc (EP) or select Exit from the *File* menu. The new version of the function replaces the previous one (if any) and the edit window is destroyed.

Alternatively, you can select *Fix* from the *File* menu. This fixes the new version of the function in the workspace, but leaves the edit window open. Note that the history is also retained, so you can subsequently undo some changes and fix the function again.

To abandon the edit, press Shift+Esc (QT) or select *Abort* from the *File* menu. This destroys the edit window but does not fix the function. The previous version (if any) is unchanged.

31 Editing Scripts and Text Files

The Editor may also be used to edit Dyalog script files (.dya log files) and general text files.

There are two ways to choose the file to be edited. If the file exists, you can select it from the *Open source file* dialog by clicking *File/Edit Text File* from the Session menu bar.

Alternatively, type)ED followed by the pathname to the file. To identify the name given as a file, it must either contain a slash character ("\" or "/") or be preceded by one.

EXAMPLES


```
)ED c:\myfiles\myscript.dyalog

)ED c:\myfiles\pete.txt

)ED \x.txt  A x.txt in current directory

)ED / x.txt  A ditto
```


If the named file does not exist, you will be asked whether or not you want to create it:



If you edit a Dyalog script file, the editor will treat it as such and provide the same formatting and syntax colouring as if it were a script in the workspace.


Otherwise, the file will be edited as if it were a character vector with embedded new-lines.

When you exit the editor with *Exit and fix*, you will be offered a number of alternatives depending upon the type of file, as shown below.



Saving a Text file

Note that if you choose *Save as text in the workspace*, information about the file and the text variable associated with it is retained in the workspace. This information may be obtained using `5176⍤` and `5177⍤`. See *Dyalog APL Language: List Loaded Files* and *Dyalog APL Language: List Loaded File Objects*.



Saving a Script file


Note that if you choose *Fix as code in the workspace* or *Save as text in the workspace*, information about the file and the text variable associated with it is retained in the workspace. This information may be obtained using 5176⍺ and 5177⍺. See *Dyalog APL Language: List Loaded Files* and *Dyalog APL Language: List Loaded File Objects*.

31.1 Fix as code in the workspace


If you choose this option, the file will be updated and the script will also be fixed in the workspace. Note that if the script refers to a base class or other external elements, it cannot be fixed unless these elements are also present in the workspace.

31.2 Save as text in the workspace

If you choose this option, the file will be updated and the contents of the file will also be saved to a variable in the workspace. First you will see the following warning dialog, which may be disabled subsequently by checking *Do not ask this question again*.



Then you will be prompted to supply its name, which may be a new name or the name of an existing variable:



31.3 Only save file to disk

If you choose this option, the file will be updated but nothing will be changed in the workspace.

31.4 Discard changes

If you choose this option, all changes will be discarded and nothing saved.

32 Source as Typed

32.1 Historical Introduction

When an object containing executable code such as a function, operator, class, or namespace is defined in a workspace either by an editor or by the system function `FIX`, the object is tokenised into an internal form. Historically, this was the only form of the object, and both the editor and system functions like `CR`, `VR`, `NR` reconstitute the source code from the internal form. This reconstituted source lacks extraneous white space and the precise numerical formatting that the user originally entered, for example.

When classes and scripted namespaces were introduced, the source code was stored in text form for these objects, as it was typed, in addition to the tokens which were still used at runtime. The function `SRC` was added to return this text, and a new function `FIX` was added to define objects that also have source code.

Subsequently, `FIX` was extended to allow the definition of functions and operators which include source code, as well as the use of source files outside the workspace to store the source code of an object. However, unless a function or operator was defined using an external file, the editor continued to only store the tokenised form in the workspace, in order to save space.

32.2 Current Behaviour

From version 19.0 onwards, the default is that the editor stores source code *as it was typed in by the user* for **all** objects, in addition to the tokenised form. When an object is defined from an external source file using `FIX`, a copy of the source is also retained in the workspace.

In order to maintain backwards compatibility with applications that rely on the canonical representation returned by `CR`, `VR`, `NR`, these functions continue to reconstitute the source from tokens; and `FIX` continues to only store the tokenised form. If you wish to access the source as typed, you should use `SRC`, or `60 ATX`, and you should use `FIX`, to define not only namespaces and classes but functions and operators as well.

When the user opens an object in the Editor, the saved source code is presented if it exists. If the object was defined from a file and the source held in the workspace differs from the contents of the file, the user will be asked to decide whether to use the file or break the link and use the source in the workspace. If no source code is available, it is reconstituted from the internal form.

Note however, that there is no mechanism to reconstitute a script, as a whole, from its tokenised form. If there is no source code, the Namespace or Class appears as if it were created using `⎕NS` rather than having originated from a script. It cannot be opened in the Editor and the result of `⎕SRC` is empty. However, the source code for individual functions and operators within the Namespace or Class will be reconstituted from their individual tokenised code when required.

The functions `⎕SRC` and `⎕ATX` (most precise available source) use the same logic as described above to generate a result.

Source code saved in the workspace is compressed to minimise space usage.

Note that the white space in comment statements is retained in both the compiled form and compiled form of a function.

The Boolean parameter **DYALOG_DISCARD_FN_SOURCE** (default 0) and `51721` (Discard Source Information) allow the user to enable or disable this feature for functions and operators. The *AutoFormat Functions* option is automatically disabled if the **DYALOG_DISCARD_FN_SOURCE** parameter is 1. Note that the user can format code on demand).

`51711` (Discard Source Information) discards source code and file information for scripted objects, namespaces, classes, functions, and operators that is saved in the workspace.

Note that, to ensure that they can be used by Classic Edition, the source code has been discarded from all the workspaces supplied by Dyalog as part of the distribution.

See also: *Dyalog APL Language: Discard Source Code* and *Dyalog APL Language: Discard Source Information*.

33 The Tracer

33.1 The Tracer

The Tracer is a visual debugging aid that allows you to step through an application line by line. During a Trace you can track the path taken through your code, display variables in edit windows and watch them change, skip forwards and backwards in a function. You can cutback the stack to a calling function and use the Session and Editor to experiment with and correct your code. The Tracer may be invoked in several ways as discussed below.

Tracing an expression

Firstly, you may explicitly trace an expression that executes one or more defined functions or operators by typing the expression then pressing `Ctrl+Enter (<TC>)` or by selecting *Trace* from the Action menu. This lets you step through the execution of an expression from the beginning.

In the same way as when you execute a statement by pressing `Enter`, the expression is (if necessary) copied down to the input line and then executed. However, if the expression includes a reference to an unlocked defined function or operator, execution halts at its first line and a Trace window containing the suspended function or operator is displayed on the screen. The cursor is positioned to the left of the first line which is highlighted.

Naked Trace

The second way to invoke the Tracer is when you have a suspended function in the state indicator and you press `Ctrl+Enter (<TC>)` on the empty input line. This is termed *naked trace*. The same thing can be achieved by selecting *Trace* from the Action menu on the Session Window.

The effect of naked trace is to open the Tracer and to position the cursor on the currently suspended line. It is exactly as if you had traced to that point from the Input Line expression whose execution caused the suspension.

Automatic Trace

The third way to invoke the Tracer is to have the system do it automatically for you whenever an error occurs. This is achieved by setting the Show trace stack on error option in the *Trace/Edit* tab of the *Configuration* dialog (**Trace_on_error** parameter). When an error occurs, the system will automatically deploy the Tracer. Note that this means that when an error occurs, the Trace window will then receive the input focus and not the Session window.

Tracer Options

From Version 10.1 onwards, the Tracer is designed to be docked in the Session window.


In previous versions of Dyalog, the Tracer was implemented as a stack of separate windows (one per function on the calling stack) or as a single, but still separate, window.

There are three available layout modes (each of which can be adjusted and configured). They are available under the **Debugger Layout** menu:


- **Floating**
- **At the bottom**
- **On the left**

The layout is a matter of preference; the functionality is the same. The default behaviour is **Debugger at the bottom**.


The **Floating** layout mode detaches the Tracer window, allowing it to be positioned according to preference.



The **At the bottom** layout mode:



The **To the left** layout mode:



In the latter two layout modes, the Tracer is docked into the main window.

In **Floating** mode,


- The trace window contains a combo box whose drop-down displays the contents of the SI stack. This box is not provided if there are multiple trace windows.
- The trace window is re-used when tracing into, or returning from, a called function. This means that there is never more than one trace window present.
- When the last function in a traced suspension exits, the trace window disappears.
- If you click the *Quit this function* button in the *Trace Tools* window, or press **ESC**, the current function is removed from the stack and the trace window reused to display the calling function if there is one.
- If you move or resize the trace window, Dyalog APL remembers its position, so that it reappears in the same position when next used.

The Trace Window

The Tracer is implemented as a single dockable window that displays the function that is currently being executed. There are several subsidiary information panes which are also fully dockable. The first of these (*SIStack*) displays the current function calling stack; the second (*Threads*) displays a list of running threads.

There are also two docked, but minimised panes, named **Left Argument** and **Right Argument**. They will open up automatically if you [Section 33.2](#).

In the default Session files, the Tracer is docked along the bottom edge of the Session window. When you invoke the Tracer, it springs up as illustrated below. In this example, the function being traced is `SE.UCMD`, which is invoked by typing a user-command, in this case `]APLCart`.



In the default layout, the *Sistack* window is displayed alongside the main Tracer window, although this can be hidden or made to appear as a separate floating window, as required.

Trace Tools


The Tracer may be controlled from the keyboard, or by using the *Trace Tools* which are arranged along the title bar of the Debugger window. Note that the button names are solely for reference purposes in the description that follows.

Button	Name	Key Code	Keystroke	Description
	Exec	<ER>	Enter	Execute expression
	Trace	<TC>	Ctrl+Enter	Trace expression
	Inline Trace	<IT>	Ctrl+Alt+Enter	Trace inline
	Back	<BK>	Ctrl+Shift+Bksp	Go back one line
	Fwd	<FD>	Ctrl+Shift+Enter	Skip current line
	Continue	<BH>		Stop on next line of calling function
	Restart	<RM>	→□LC	Continue execution of this thread
	Restart all			Continue execution of all threads
	Edit	<ED>	Shift+Enter	Edit name
	Exit	<EP>	Esc	Quit this function
	Intr		Ctrl+Pause	Interrupt
	Reset	<CB>		Clear trace/stop/monitor for this object
		<LN>		Toggle line numbers
				Search for next match
				Search for previous match
				Search hidden text
				Match case
				Match whole word
				Use Regular Expressions

Using the Trace Tools, you can **single-step** through the function or operator by clicking the *Exec* and/or *Trace* buttons. If you click *Exec* the current line of the function or operator is executed and the system halts at the next line. If you click *Trace*, the current line is executed but any defined functions or operators referenced on that line are themselves traced. After execution of the line the system again halts at the next one.


Using the keyboard, the same effect can be achieved by pressing **Enter** or **Ctrl+Enter**.

The illustration below shows the state of execution having clicked *Exec*, *Trace*, *Exec* 19 times:



The next illustration shows the result of clicking *Trace* at this point. This caused the system to trace into `SE.Dyalog.APLCart`, the function called from `SE.UCMD[35]`.

Notice how each function call on the stack is represented by an item in the *Stack* window.



At this stage, the state indicator is as follows:

```

)SI
DSE.Dyalog.Utils.APLcart[1]*
DSE.input.c.APLcart.Run[47]
↓
DSE.SALTUtils.CallUserCode[0]
DSE.UCMD[2]

```

See also the section on [Section 33.2](#).

Controlling Execution

The point of execution may be moved by clicking the *Back* and *Fwd* buttons in the *Trace Tools* window or, using the keyboard, by pressing **Ctrl+Shift+Bksp** and **Ctrl+Shift+Enter**. Notice however that these buttons do not themselves change the state indicator or the display in the *SIS* stack window. This happens only when you restart execution from the new point.

You can cut back the stack by clicking the **<EP>** button in the *Trace Tools* window. This causes execution to be suspended at the start of the line which was previously traced. The same effect can be achieved using the keyboard by pressing **Esc**. It can also be done by selecting *Exit* from the *File* menu on the *Trace Window* or by selecting *Close* from its system menu.

The **<RM>** button removes the Trace window and resumes execution. The same is achieved by the expression `→□LC`.

The **<BH>** button continues execution until the current function has run to completion and control has returned to the calling function. It leaves the Trace window displayed and allows you to watch execution progress.

Using the Session and the Editor

Whilst using the Tracer you can skip to the Session or to any Edit window and back again. While it is docked, you may resize the Tracer pane by dragging its title bar, and you may use the buttons provided to maximise, minimise and restore the Tracer pane within the Session window.

Unless you move it, the cursor is positioned to the left of the suspended line in the top Trace window.

Depending where the cursor is in the tracer window, pressing `Shift+Enter` (**<ED>**) or selecting *Edit* from the *File* menu may cause an edit window to open. If the cursor is in the first column of the Trace window, or on whitespace, the Editor is opened on function or operator on top of the stack. If the cursor is on a name, the Editor is opened on the name under the cursor (point-and-edit). With the cursor in any other location, no action is undertaken.

When you finish editing, the window reverts to a trace window with the new definition of the function or operator displayed.


You may also open a new edit window from within the Tracer using point-and-edit.

You can copy text from a trace window to the session for editing and execution or for experimentation.

It is possible to skip from the Tracer to the Session and then re-invoke the Tracer on a different expression.

Setting Breakpoints

Breakpoints are defined by `□STOP` and may be toggled on and off in an Edit or Trace window by clicking in the appropriate column. The example below illustrates a function with a `□STOP` breakpoint set on line [5].



STOP breakpoints set or cleared in an Edit window are not established until the function is fixed. STOP breakpoints set or cleared in a Trace window are established immediately.

Clearing All Break-Points

You can clear all breakpoints by pressing the above button in the Trace Tools window. This in fact resets STOP for all functions in the workspace.

33.2 Inline Tracing

Inline Tracing is an extension to the Tracer that allows you to step through the execution of individual primitives within expressions, examining intermediate results and arguments of sub-expressions. It enables an in-depth inspection of complex expressions typed directly into the session, and can be used in conjunction with the traditional tracing mode to skip over lines you're not interested in and step through primitive-by-primitive in complex expressions where required.

Note

Inline Tracing is tracing with the (approximate) granularity of primitives, though it does stop on non-primitives, such as user-defined functions.

Getting started

There is a command **<IT>** called *Inline Trace* with the default keyboard shortcut `ctrl+alt+enter` which is used to trace inline.


To start inline tracing, position the cursor within an expression and do one of the following:

- enter the *Inline Trace* command (**<IT>**) in the session.
- select **Action > Trace Inline...** from the Session menu bar.
- select **Action > Trace Inline...** from the Session window's context menu.
- click the **Next Primitive** icon in the Tracer toolbar.

The Tracer opens with primitive tracing activated.

EXAMPLE

In a Session, enter the expression `( + / ÷ ≠ ) 1 10` and start inline tracing.



The red outline around the `1` in the Tracer shows the next primitive to be executed. Enter **<IT>** or click the **Next Primitive** icon in the Tracer toolbar to see how the execution progresses through the expression.

The **Next Primitive** icon is always present in the Tracer. The **<IT>** command lets you open a Tracer on an expression that has been typed directly in the Session.

Aspect Panes

When tracing inline, there are several more aspects of an expression that can be inspected beyond the default ones for left and right arguments, available under the **Windows** menu in the Tracer. These are divided into two sections; items 1-4 apply to the current function, and items 5-9 apply to the previously-executed function. They are:

1. Left Argument

As you step through an expression, this displays the left argument that is about to be passed to the highlighted function. Enabled (but minimised) by default.

2. Current Function

The function that is highlighted with a red outline in the Tracer. Opening a dedicated aspect pane allows you to select different presentation modes; see [Aspect Pane Options](#) for more information.

3. Right Argument

As you step through an expression, this displays the right argument that is about to be passed to the highlighted function. Enabled (but minimised) by default.

4. Axis Specification

The bracket axis applied to the current function (if any).

5. Previous Result

The result of the function evaluation immediately before the highlighted function.

6. Previous Left

The left argument of the function evaluation immediately before the highlighted function.

7. Previous Function

The function that was evaluated immediately before the highlighted function.


8. Previous Right

The right argument of the function evaluation immediately before the highlighted function.

9. Previous Axis

The bracket axis applied to the function evaluation immediately before the highlighted function (if any).

The relationship between these panes can be illustrated as



Note

Each of these options corresponds to a new pane in the Tracer. Having all panes enabled and visible can result in the interface becoming cluttered and information being hard to locate; Dyalog Ltd recommends enabling these on a case-by-case basis.

Aspect Pane Options

When a docked aspect pane is the focus, the Session's **Options** menu enables configuration of the behaviour of that aspect pane (for floating panes, the **Options** menu is within the aspect pane). The options are:

- **Show Status Bars**

Whether status bars are displayed beneath the aspect pane.

- **Minimise until first use**

Whether a saved layout should minimise aspect panes until they are activated. For complex layouts this can improve usability.

- **Show functions as trees**

When using the **Current/Previous Function** panes, whether **Show functions as trees** uses the same display mode as `]Boxing on -trains=tree`. If this option is not selected, the display mode is `]Boxing on -trains=box`. This can be helpful when investigating tacit expressions.


- **Trace idioms**

Whether specific expressions that the interpreter might treat as special cases (for example, idioms) are included when tracing inline. If this option is not selected, such expressions are treated as atomic functions.

- **Use Array Notation**

Whether APL array notation is used to display arguments and results.

The following screenshot illustrates the effect of choosing **Show functions as trees** on the **Current Function** pane:




Tracing Diamond-Separated Expressions

A line of code can comprise a set of expressions separated by diamonds. In this situation, you might only want to trace into some of them and skip others; this can be done by using the command **<ER>** (by default, this is **enter**).


For example, consider a line that consists of three diamond-separated expressions; you want to skip the first two, and trace into the third one:

```
a ← 3 3p19 ♦ b ← 4a ♦ a + b
```


Enter the expressions in the Session, and start inline tracing. You should see:



with the first expression highlighted (red outline). Enter **<ER>** (enter) to execute the single expression before the first diamond separator:




The second expression is now highlighted. Enter **<ER>** (enter) again to execute the second expression, then enter **<IT>** (ctrl+alt+enter) to start tracing the primitives in the third expression:



34 The Threads Tool

The Threads Tool is used to monitor and debug multi-threaded applications. To display the Threads Tool, select *Show Threads Tool* from the *Session Threads* menu, or *Threads* from the Session pop-up menu.



The above picture illustrates a situation using the `Lift.dws` workspace after executing the function `RUN`. The *Pause on Error* option was enabled and a *Stop* was set on `RUN[63]`. When `RUN` suspended at this point, all other threads (1-8) were automatically Paused. Note that all other threads happen to be Paused in the middle of calls to system functions

The columns of the Threads Tool display the following information.

Column	Description
Tid	The Thread ID (<code>□TID</code>) and name (<code>□TNAME</code>) if set
Location	The currently executing line of function code
State	Indicates what the thread is doing. (see below)
Flags	Normal or Paused.
Treq	The Thread Requirements (<code>□TREQ</code>)

34.1 Thread States


State	Description
Pending	Not yet running
Initializing	Not yet running
Defined function	Between lines of a defined function
Dfn	Between lines of a dfn
Suspended	Indicates that the thread is suspended and is able to accept input from the Session window.
Session	Indicates that Session window is connected to this thread.
(no stack)	Indicates that the thread has no SI stack and the Session is connected to another thread. This state can only occur for Thread 0.
Exiting	About to be terminated
:Hold	Waiting for a :Hold token
:EndHold	Waiting for a :Hold token
□DL	Executing □DL
□DQ	Executing □DQ
□NA	Waiting for a DLL (□NA) call to return.
□TGET	Executing □TGET, waiting for a token
□TGET (Ready to continue)	Executing □TGET, having got a token
□TSYNC	Waiting for another thread to terminate
Awaiting request	Indicates a thread that is associated with a .NET system thread, but is currently unused
Called .NET	Waiting for a call to .NET to return.

34.2 Paused/Normal

In addition to the thread state as described above, a thread may be *Paused* or *Normal* as shown in the *Flags* column. A *Paused* thread is one that has temporarily been

removed from the list of threads that are being scheduled by the thread scheduler. A *Paused* thread is effectively frozen.


34.3 Threads Tool Pop-Up Menu




Switch to	Selecting this item causes APL to attempt to suspend (if necessary) and switch to the selected thread, connecting it to the Session and Debugger windows.
Interrupt	Causes a (STRONG) interrupt in the selected thread the next time it is scheduled, essentially it allows you to target an interrupt at a specific thread.
Ignore Interrupts	Allows you to specify that the selected thread should ignore weak interrupts.
Refresh Now	Refreshes the <i>Threads Tool</i> display to show the current position and state of each thread.
Auto Refresh	Selecting this item causes the <i>Threads Tool</i> to be updated continuously, so that it shows the latest position and state of each thread.
Pause Threads on Error	If this item is checked, APL automatically Pauses all other threads when a thread suspends due to an error or an interrupt.
Paused	This item toggles a thread between being <i>Paused</i> and <i>Normal</i> . It Pauses a <i>Normal</i> thread and resumes a <i>Paused</i> thread.
Pause All	This item causes all threads to be <i>Paused</i> .
Resume All	This item resumes all threads.
Restart All	This item resumes all <i>Paused</i> threads, restarts all suspended threads, and closes the Debugger.

35 Debugging Threads

The Debugger provides a tabbed interface that allows you to easily switch between suspended threads for debugging purposes. To keep things simple for non-threaded applications, Tabs are only displayed if there is a thread suspended that is other than Thread 0. The following picture shows the Debugger open on a multi-threaded application (LIFT.DWS) when only Thread 0 is suspended. This has been achieved by setting a stop on RUN[63]




In the next picture, the user has chosen to display the *Threads Tool* and then dock it between the *Session* and *Debugger* windows. Note that only one thread, thread 0 (Run) is suspended. All the other threads are *Paused* (because *Pause on Error* is enabled).




The user then uses the context menu to *Switch To Thread 14* (whose name is Lady 14) which was Paused on PERSON[7] in the middle of a DTGET. The act of switching to this thread caused it to be suspended at the beginning of its current line PERSON[7] and the Debugger now displays two Tabs to represent the two suspended threads. Note that both the thread id and the thread name are displayed on the Tabs.

Note also that the Session window is connected to the thread indicated by the selected Tab. In this case, typing MYFLOOR into the Session window displays the value of the local variable MYFLOOR in Thread 14 (Lady 14).



You can use the Tabs to switch between the suspended threads, so clicking the Tab labelled 0:Run causes the display to change to the picture shown below. The Session is now connected to Thread 0 (Run), so the value of `⌊LC` is 63.




36 The Event Viewer

The *Event Viewer* can be used to monitor events on Dyalog APL GUI objects. To display the *Event Viewer*, select *Event Viewer* from the *Session Tools* menu.

You can choose:

- which types of events you want to monitor
- which objects you want to monitor




The screenshot shows a window titled "Spy (All)" with a menu bar containing "Spy", "Columns", "Select", and "Options". Below the menu bar is a table with the following columns: "ObjectName", "ObjectType", "EventName", "EventNumber", and "Parameters". The table contains 15 rows of event data.

ObjectName	ObjectType	EventName	EventNumber	Parameters
#.f	Form	Configure	31	42.77777863 8.020833015 :
#.f	Form	Configure	31	42.87036896 8.020833015 :
#.f	Form	Configure	31	42.9629631 7.96875 50 50
#.f	Form	Configure	31	42.9629631 7.96875 50 50
#.f	Form	MouseUp	2	20.55555534 64.27083588 :
#.f	Form	MouseUp	2	25.74073982 40 1 0
#.f	Form	MouseUp	2	25.74073982 40 1 0
#.f	Form	MouseDown	5	25.74073982 40 1 0
#.f	Form	MouseDown	2	25.74073982 40 1 0
#.f	Form	LostFocus	41	
#.f	Form	GotFocus	40	
#.f	Form	LostFocus	41	
#.f	Form	GotFocus	40	
#.f	Form	LostFocus	41	

In the example illustrated above, the user has chosen to monitor events on a Form `#.f`. Furthermore, the user has chosen to monitor `GotFocus`, `LostFocus`, `MouseUp`, `MouseDown` and `Configure` events.

Entries in the *Action* column report the action that was associated with the event at the time it was placed in the queue. This may or may not be the same as the action that is associated with the event when it reaches the top of the event queue and is processed.


36.1 The Spy Menu



The Spy menu, illustrated above, provides the following options and actions.

Item	Description
Clear	Clears all of the event information that is currently displayed in the <i>Event Viewer</i> .
Copy	Copies the highlighted rows to the clipboard.
All	In this mode all the events are displayed in the <i>Event Viewer</i> as they occur, whether or not there is an action associated with them.
When Placed in Object's Queue	In this mode only events that have associated actions are displayed in the event viewer. Note that KeyPress events are always queued and therefore always appear, even if there is no associated action.
Current Queue State	In this mode the <i>Event Viewer</i> displays a snapshot of the internal event queue. Only those events that are currently in the internal APL event queue waiting to be processed are displayed.
Enable Logging	This item switches event logging on and off.
Close	Closes the <i>Event Viewer</i>


36.2 The Columns Menu



The Columns menu allows you to choose which information is displayed for the events you are monitoring.

Item	Description
ObjectName	If checked, this item displays the <i>name</i> of the object on which the event occurred.
ObjectType	If checked, this item displays the <i>type</i> of the object on which the event occurred.
Event Name	If checked, this item displays the <i>name</i> of the event that occurred.
Event Number	If checked, this item displays the <i>event number</i> of the event that occurred.
Parameters	If checked, this item displays the <i>parameters</i> for the event that occurred. These are the items that would be passed in the argument to a callback function.
Action	If checked, this item displays the <i>action</i> associated with the event when the event is placed in the event queue, for example the name of a callback function, or an expression to be executed.
Thread ID	If checked, this item displays the <i>thread id</i> of the thread in which the event occurred
NQed	If checked, this item displays 0 or 1 according to whether or not the event occurred <i>naturally</i> or was generated programmatically by ☐ NQ .
Event ID	If checked, this item displays the <i>event id</i> of the event that occurred. This id is used internally.
TimeStamp	If checked, this item displays the <i>timestamp</i> of the event that occurred.

36.3 The Select Menu




The *Select* menu allows you to highlight certain events in the *Event Viewer*. For example, if you are monitoring TCP/IP events on a number of TCPSockets, you can highlight just the events for a particular socket.

Item	Description
Select All	Highlights all the events.
Select Matching Events	Highlights all the events that have the same Object and Event Name (or Event Number) as the currently selected event.
Select All Events on This Object	Highlights all the events that have the same Object as the currently selected event.
Select All Events of this Type	Highlights all the events that have the same Event Name (or Event Number) as the currently selected event

These items are also available from the pop-up menu that appears when you press the right mouse button over an event displayed in the *Event Viewer* window.

36.4 The Options Menu




The *Options* menu allows you to choose which information is displayed for the events you are monitoring.

Item	Description
Always on Top	If checked, this item causes the <i>Event Viewer</i> window to be displayed above all other windows (including other application windows).
Use APL font	If checked, this item causes the information displayed in the <i>Event Viewer</i> window to be displayed using the APL font (the same font as is used in the Session window). If not, the system uses the appropriate Windows font.
Settings...	Displays the <i>Event Viewer Options</i> Dialog Box.

36.5 Options Dialog Box

The *Event Viewer Options* dialog box allows you to select the objects and events that you wish to monitor.



36.6 Events to view

The list box shows all the events that are support by the Dyalog APL GUI and allows you to select which events are to be monitored. User defined events may be selected by checking the *User defined events* box. Only those events that are selected will be reported. You can sort the events by name or by event number by clicking the appropriate column header.

36.7 Objects to view

Item	Description
Find Tool Select from List	This tool allows you to choose a single specific Dyalog APL GUI object that you want to monitor. To use it, drag the <i>Find Tool</i> and move it over your Dyalog APL GUI objects. As you drag it, the individual objects are highlighted and their details displayed in the <i>Name</i> , <i>Type</i> , <i>Thread ID</i> and <i>Handle</i> fields. Drop the <i>Find Tool</i> on the object of your choice. Clicking the <i>Select from List</i> button brings up a dialog box that displays the entire Dyalog APL GUI structure as a tree view. You can choose a single object by selecting it.
Parent Object	Enables event reporting on the selected object's immediate parent.
Child Objects	Enables event reporting on the all selected object's descendants (at any level).
Same Thread	Enables event reporting on all the objects in the same thread as the selected object.
All Objects	Enables event reporting on all Dyalog APL GUI objects.
Objects of Type Select from List	Activates the adjoining <i>Select</i> button and disables all other Object selection mechanisms. Clicking the <i>Select from List</i> button brings up a dialog box that allows you to choose which types of Dyalog APL GUI objects you want to monitor.

37 The Session Object

37.1 The Session Object

Purpose:	The Session object □SE is a special system object that represents the session window and acts as a parent for the session menus, tool bar(s) and status bar.
Children	Form, MenuBar, Menu, MsgBox, Font, FileBox, Printer, Bitmap, Icon, Cursor, Clipboard, Locator, Timer, Metafile, ToolBar, StatusBar, TipField, TabBar, ImageList, PropertySheet, OLEClient, TCPSocket, CoolBar, ToolControl, BrowseBox
Properties	Type, Caption, Posn, Size, File, Coord, State, Event, FontObj, YRange, XRange, Data, TextSize, Handle, HintObj, TipObj, CurObj, CurPos, CurSpace, Log, Input, Popup, RadiusMode, LogFile, MethodList, ChildList, EventList, PropList
Methods	ChooseFont, FileRead, FileWrite
Events	Close, Create, FontOK, FontCancel, WorkspaceLoaded, SessionPrint, SessionTrace

Description

There is one (and only one) object of type Session and it is called □SE. You may use □WG, □WS and □WN to perform operations on □SE, but you cannot expunge it with □EX nor can you recreate it using □WC. You may however expunge all its children. This will result in a bare session with no menu bar, tool bar or status bar.

□SE is loaded from a session file when APL starts. The name of the session file is specified by the **session_file** parameter. If no session file is defined, □SE will have no children and the session will be devoid of menu bar, tool bar and status bar components.

An additional feature is provided to establish code in the Session; for more information, see the *Installation/Configuration: Dyalogstartupse* configuration parameter.

You may use all of the standard GUI system functions to build or configure the components of the Session to your own requirements. You may also control the Session by changing certain of its properties.

Note that the Session reports a Create event when APL is first started, and a [Section 37.7](#) event when a workspace is loaded or on a clear ws.

The Session reports a [Section 37.5](#) event when certain types of output are about to be displayed. This may be used to alter the normal default display. The Session also reports a [Section 37.6](#) event when executing when an expression is execute with trace control. This may be used to alter the normal default trace.

Read-Only Properties

The following properties of `SE` are read-only and may not be set using `WS`:

Property	Description
Type	A character vector containing 'Session'
Caption	A character vector containing the current caption in the title bar of the Session window.
TextSize	Reports the bounding rectangle for a text string. For a full description, see TextSize in Object Reference.
CurObj	A character vector containing the name of the current object. This is the name under or immediately to the left of the input cursor.
CurPos	A 2-element integer vector containing the position of the input cursor (row and column number) in the session log. This is <code>CI0</code> dependent. If <code>CI0</code> is 1, and the cursor is positioned on the character at the beginning of the first (top) line in the log, CurPos is (1 1). If <code>CI0</code> is 0, its value would be (0 0).
CurSpace	A character vector which identifies the namespace from which the current expression was executed. If the system is not executing code, CurSpace is the current space and is equivalent to the result of <code>>' 'NS ' ' .</code>
Handle	The window handle of the Session window.
Log	A vector of character vectors containing the most recent set of lines (input statements and results) that are recorded in the session log. The first element contains the top line in the log.
Input	A vector of character vectors containing the most recent set of input statements (lines that you have executed) contained in the input history buffer.
LogFile	The name of the session log file in use.
ChildList	A vector of character vectors containing the types of object that can be created as a child of <code>SE</code> .
MethodList	A vector of character vectors containing the names of the methods associated with <code>SE</code> .
EventList	A vector of character vectors containing the names of the events generated by <code>SE</code>
PropList	A vector of character vectors containing the names of the properties associated with <code>SE</code> .

Read/Write Properties

The following properties of `WS` may be changed using `WS`:

Property	Description
Caption	A character vector containing the current caption in the title bar of the Session window. See Session Caption .
Coord	Specifies the co-ordinate system for the session window.
Data	May be used to associate arbitrary data with the session object <code>SE</code> .
Event	You may use this property to attach an expression or callback function to the Create event or to user-defined events. A callback attached to the Create event can be used to initialise the Session when APL starts.
File	The full pathname of the session file that is associated with the current session. This is the file name used when you save or load the session by invoking the FileRead or FileWrite method.
FontObj	Specifies the APL font. In general, the FontObj property may specify a font in terms of its face name, size, and so forth or it may specify the name of a Font object. For applications, the latter method is recommended as it will result in better management of font resources. However, in the case of the Session object, it is recommended that the former method be used.
HintObj	Specifies the name of the object in which hints are displayed. Unless you specify HintObj individually for session components, this object will be used to display the hints associated with all of the menu items, buttons, and so forth in the session. The object named by this property is also used to display the message "Ready..." when APL is waiting for input.
Popup	A character vector that specifies the name of a popup menu to be displayed when you click the right mouse button in a Session window.
Posn	A 2-element numeric vector containing the position of the top-left corner of the session window relative to the top-left corner of the screen. This is reported and set in units specified by the Coord property.
Size	A 2-element numeric vector containing the height and width of the session window expressed in units specified by the Coord property.
State	An integer that specifies the window state (0=normal, 1=minimised, 2=maximised). You may wish to use this property to minimise and later restore the session under program control. If you save your session with State set to 2, your APL session will start off maximised.
TipObj	

Property	Description
	Specifies the name of the object in which tips are displayed. Unless you specify TipObj individually for session components, this object will be used to display the tips associated with all of the menu items, buttons, and so forth in the session.
XRange	See <i>Object Reference</i>
YRange	See <i>Object Reference</i>

Special Properties

The following properties of `□SE` are used internally by Dyalog tools such as SALT. They are not intended nor supported for general use and are not reported by PropList.

StatusWindow	This read-only property returns a reference to the Status Window. The expression: <code>(□SE.□WG'StatusWindow')□WG'Text'</code> returns the (read-only) contents of the status window.
Editor	This read-only property returns a reference to the Editor Window. The Editor generates the special events <u><i>Fix</i></u> , <u><i>AfterFix</i></u> and <u><i>Format</i></u> .

Special Events

The following special events are generated by `□SE` or its child objects. They are used internally by Dyalog tools such as SALT. They are not intended nor supported for general use.

<u><i>AfterFix</i></u>	This event is reported by the Editor after it has successfully fixed a new object, or a new version of an object, in the workspace.
<u><i>Fix</i></u>	This event is reported by the Editor when the user attempts to fix an object.
<u><i>Format</i></u>	This event is reported by the Editor when the user attempts to format an object.
<u><i>SessionPrint</i></u>	This event is reported when a value is about to be displayed in the Session window. The default display of the value may be intercepted by a callback function and displayed differently. This event is used by the <code>]box</code> and <code>]rows</code> user commands.
<u><i>SessionTrace</i></u>	This event is reported when an expression is executed with trace control. The trace behaviour may be intercepted by a callback function and altered. This event is used by the <code>]box</code> and <code>]rows</code> user commands.
<u><i>WorkspaceLoaded</i></u>	This event is generated when a workspace is loaded or upon <code>)CLEAR</code> .

Session Caption

The Caption property of the Session may be set dynamically to a character vector comprising free text and field names. Field names must be enclosed in braces and are replaced in-situ by corresponding values.

Field Name	Description
{TITLE}	the window specific text
{WSID}	WSID
{NSID}	current namespace
{SNSID}	short version of namespace (no # .)
{PRODUCT}	for example, Dyalog APL/W
{VER_A}	for example, 19
{VER_B}	for example, 0
{VER_C}	for example, 47586 (SVN revision)
{PID}	process ID (decimal)
{CHARS}	"Classic" or "Unicode"
{BITS}	"32" or "64"
{TID}	current thread

EXAMPLE

```
SE.Caption←'Pete: {WSID} {Product} {VER_A}.{VER_B}'
```

The Session caption in a CLEAR WS will change to:

```
Pete: CLEAR WS Dyalog APL/W-64 19.0
```

Note that Caption returns the codified string used to set it.

```
SE.Caption
Pete: {WSID} {Product} {VER_A}.{VER_B}
```

37.2 AfterFix		Event 822
Applies To:		<u>Editor</u>

Description

If enabled, this event is reported immediately after the Editor has successfully fixed a new object, or a new version of an object, in the workspace.

You may not nullify or modify the event with a 0-returning callback, nor may you generate the event using `□NQ`, or call it as a method. However, returning 0 from a callback will cause the Edit window to remain open if the user action was Fix and Exit (EP).

The event message reported as the result of `□DQ`, or supplied as the right argument to your callback function, is a 7-element vector as follows :

[1]	Object	ref to the Editor object
[2]	Event	'AfterFix' or 822
[3]	Contents	the contents of the Edit window, as a vector of character vectors
[4]	Space	ref to the namespace in which the object will be fixed
[5]	Old Name	a character vector containing the original name of the object when it was opened by the Editor
[6]	New Name	a character vector containing the name of the object which was fixed. This is empty if the object is a variable.
[7]	File Name	a character vector containing the name of the file (if any) associated with the object.

37.3 Fix		Event 820
Applies To:		<u>Editor</u>

Description

If enabled, this event is reported when the user attempts to fix an object from the Editor window. It is reported immediately, before the user's action is processed in any way by the Editor.

The default action is to check whether the object has changed. If not, no further action takes place. If the object has changed, the system validates the contents of the Edit window, and either displays an error dialog or fixes a new version of the object in the workspace. If the user action was to fix and exit (EP), the Edit window is closed unless the validation failed.

If the callback function returns 0, the default action is aborted in its entirety (not even the validation takes place) and the Edit window remains open.

You may not generate the event using `□NQ`, or call it as a method.

The event message reported as the result of `□□□`, or supplied as the right argument to your callback function, is a 7-element vector as follows :

[1]	Object	ref to the Editor object
[2]	Event	' F i x ' or 820
[3]	Contents	the contents of the Edit window, as a vector of character vectors
[4]	Space	ref to the namespace in which the object will be fixed
[5]	Old Name	a character vector containing the original name of the object when it was opened by the Editor
[6]	New Name	a character vector containing the new name of the object. This is empty if the object is a variable.
[7]	File Name	a character vector containing the name of the file (if any) associated with the object.

For objects whose names are part of the content of the Edit window, this event is not reported if the name is missing or invalid. Instead the system will display an error dialog box.

37.4 Format		Event 821
Applies To:		<u>Editor</u>

Description

If enabled, this event is reported when the user attempts to format an object in the Editor window.

If the callback function returns 0, the contents of the Edit window are not reformatted.

You may not generate the event using `□□□`, or call it as a method.

The event message reported as the result of `□□□`, or supplied as the right argument to your callback function, is a 6-element vector as follows :

[1]	Object	ref to the Editor object
[2]	Event	'Format ' or 821
[3]	Contents	the contents of the Edit window, as a vector of character vectors
[4]	Space	ref to the namespace in which the object will be fixed
[5]	Old Name	a character vector containing the original name of the object when it was opened by the Editor
[6]	New Name	a character vector containing the new name of the object. This is empty if the object is a variable.

37.5 SessionPrint

Event 526

Applies To:	<u>Session</u>
-------------	----------------

Description

If enabled, this event is reported when a value is about to be displayed in the Session. It is generated by the display of a variable or the result of a function including system variables and functions. Error messages and output from system commands do not generate this event.

The event message reported as the result of `□□□□`, or supplied as the right argument to your callback function, is a 2-element vector as follows :

[1]	Object	ref or character vector
[2]	Event	'SessionPrint ' or 526

The attachment of a callback function intercepts and annuls the normal display of any value.

Note that this event may be extended in future; in particular the number of elements in the event message may be increased, and the event may be generated by some system commands. You should therefore allow for such extensions in any code which refers to SessionPrint.

When the event is generated, the left argument of the callback function contains the value which was about to be displayed. The callback function may display this or any other value, using default output or by assignment to `□`. If so, this output will be

processed normally, without generating a subsequent SessionPrint event. If the callback fails to explicitly display anything, nothing will appear in the Session.

EXAMPLE

```

    ⚡VR'⚡SE.TimeStamp'
      ▾ VAL TimeStamp EV
[1]   ⚡TS VAL
      ▾

      '⚡SE'⚡WS'Event' 'SessionPrint' '⚡SE.TimeStamp'

      2
2014 9 18 16 20 38 318 2

      ⚡A
2014 9 18 16 20 44 668  ABCDEFGHIJKLMNOPQRSTUVWXYZ

```

The result (if any) of the callback function is ignored.

You may not disable the event (by setting its action to `⚡1`), nor generate the event using `⚡NQ`, nor call it as a method.

37.6 SessionTrace

Event 527

Applies To: [Section 37.1](#)

Description

If enabled, this event is reported when an expression is executed with trace control. See *Dyalog APL Language: Set Trace*. Error messages and output from system commands do not generate this event.

The event message reported as the result of `⚡DQ`, or supplied as the right argument to your callback function, is a 4-element vector as follows :

Pos	Description	Type
[1]	Object	ref or character vector
[2]	Event	'SessionTrace' or 527
[3]	Function	Character vector (' ' if none)
[4]	Line number	Numeric scalar (0 if none)

The attachment of a callback function intercepts and annuls the normal display of function name, line numbers and any value.

Note

Note that this event may be extended in the future; in particular the number of elements in the event message may be increased. You should therefore allow for such extensions in any code which refers to SessionTrace.

When the event is generated, the left argument of the callback function contains the result value of the expression, if any. The callback function may display this or any other value, using default output or by assignment to `⌵`. If so, this output will be processed normally, without generating any SessionTrace or [Section 37.5](#) events. If the callback fails to explicitly display anything, nothing will appear in the Session.

If the expression has no value, then the callback function will be called monadically. It is therefore required that the callback function is ambivalent (can be called both monadically and dyadically).

Example

```

    )CS  SE
SE
    ▽ {VAL}TimeStamp EV
[1]  TS(2+2+EV)
[2]  :If 0≠NC'VAL'
[3]  TS←VAL
[4]  :EndIf
[5]  TS←UCS 13
    ▽
)CS
#
    'SE'WS'Event' 'SessionTrace' 'SE.TimeStamp'

    ▽ Foo
[1]  A just a comment
[2]  global←A
    ▽

    1 2 TRACE'Foo'
    Foo
2020 7 3 14 2 37 762  Foo 1
2020 7 3 14 2 37 763  Foo 2 ABCDEFGHIJKLMNOPQRSTUVWXYZ
```

The result (if any) of the callback function is ignored.

You may not disable the event (by setting its action to -1), nor generate the event using NQ, nor call it as a method.

37.7 WorkspaceLoaded		Event 525
Applies To:	<u>Session</u>	

Description

If enabled, this event is reported when a workspace is loaded or on a clear ws. You may not nullify or modify the event with a 0-returning callback, nor may you generate the event using NQ, or call it as a method.

The event message reported as the result of DDQ, or supplied as the right argument to your callback function, is a 2-element vector as follows :

[1]	Object	ref or character vector
[2]	Event	'WorkspaceLoaded' or 525

This event is fired immediately after a workspace has been loaded and before the execution of `□LX`.

The callback function you attach should be defined in `□SE`.

37.8 Configuring the Session

As supplied, your default session will have a menu bar, a tool bar and a status bar. There are many ways in which you may configure this set-up, including the following:

You may select a different APL font or character size.

You may alter the appearance of the menus by changing the Caption properties of the various Menu and MenuItem objects. For example, you may prefer the menus to appear in your own language.

You may alter the structure of the menus. For example, you may wish to create a *Search* menu directly on the menu bar rather than having *Find and Replace* as part of the *Edit* menu.

You may add new Menu and MenuItem objects to the menu bar, or new Button objects to the tool bar, that execute APL functions or expressions for you. You can store the code inside the `□SE` namespace so that it remains available when you switch from one workspace to another.

You may add other objects to the tool bar to allow you to provide input for your functions or to display output. For example, you may display a Combo object that offers you a selection of names applicable to a particular task.

You may add additional toolbars.

You may remove objects too; for example, you can remove fields from the StatusBar or even delete it entirely. Indeed, you may dispense with the menu bar and/or tool bar as well.

This section illustrates how you can configure your session using worked examples. The examples are by no means exhaustive, but are designed to demonstrate the principles. Please note that the structure and names of the objects used in these examples may not be identical to your default session as supplied. Before you attempt to change your

session, please check the structure and the object names using `□WN` and `□WG`. The supplied session was created using the function `BUILD_SESSION` in the workspace `BUILDSE`. If you wish to make substantial changes to your session, you may find it most convenient to edit the functions in this workspace, re-run `BUILD_SESSION`, and then save it.

Please note that these examples assume that *Expose Session Properties* is enabled.

Changing the Font

The APL session font is defined by the `Font` property of `□SE`. To change the font **permanently**, you should select a different Font and/or size of Font using the combo and spinner boxes on the Session toolbar, and **save your Session**.

Classic Edition is distributed with bitmap fonts suitable for use on your screen, and TrueType fonts for your printer. You *can* use the TrueType font on the screen, but it is less attractive than the bitmap fonts at low resolutions. The bitmap fonts come in two sizes (16 x 8 and 22 x 11) and two weights (normal and bold). You may select other sizes, so long as the height is a multiple of 16 or 22. The scaling is performed automatically by Windows.

Changing Menu Appearance

The name of the Session MenuBar is '`□SE.mb`'. To simplify the specification of object names, we will first change space to the MenuBar itself:

```
)CS □SE.mb
□SE.mb
```

The names of the Menu objects owned by the MenuBar are given by the expression:

```
'Menu' □WN ''
file edit view windows session log action options tools
threads help
```

The current caption on the file menu is:

```
file.Caption
&File
```

To change the Caption to Workspace:

```
file.Caption←'Workspace'
```

To change the colour of the *New* option in the *File* menu to red:

```
file.clear.FCol←255 0 0
```

Reorganising the Menu Structure

This example shows how you may alter the structure of the session menus by adding a *Search* menu to the menu bar to provide access to the *Find* and *Find/Replace* dialog boxes and removing these options from the *Edit* menu.

To simplify the process, we will first change space into the *MenuBar* object itself:

```
)CS □SE.mb  
□SE.mb
```

Then we can begin by adding the *Search* menu. You can specify where the new menu is to be added using its *Posn* property. In this case, *Search* will be added at position 3 (after *Edit*).

```
'search'□WC 'Menu' '&Search' 3
```

Next we will remove the *Find* and *Replace* MenuItem objects from the *Edit* menu. Their names can be obtained from □WN:

```
'MenuItem'□WN'edit'  
edit.prev edit.next edit.clear edit.copy edit.paste  
edit.find edit.replace
```

It is worth noting that these MenuItem objects perform their actions because their *Event* property is set to execute the system operations [*Find*] and [*Replace*] respectively when they are selected.

```
edit.find.Event  
Select [Find]  
edit.replace.Event  
Select [Replace]
```

The following statement removes them from the *Edit* menu:

```
□EX''edit.find' 'edit.replace'
```

and the following statements add them to the *Search* menu:

```
'search.find' WC 'MenuItem' '&Find'
              ('Event' 'Select' '[Find]')
'search.replace' WC 'MenuItem' '&Replace'
                 ('Event' 'Select' '[Replace]')
```

Adding your own MenuItem

This example shows how you can add a menu item that executes an APL expression. In this case we will do something very simple; namely add a *Time* option to the Tools menu which will execute `TS`. Notice that the statement also defines a Hint. This will be displayed when you select the option, prior to releasing the mouse button to action it.


Once again, we will start by changing space into the *Tools* menu itself

```
)CS SE.mb.tools
SE.mb.tools
```

Then we will define a new MenuItem to perform the action we require:

```
'ts' WC 'MenuItem' '&Time'
      ('Event' 'Select' '⚡TS')
      ('Hint' 'Display Timestamp')
```

The `⚡` symbol is very important and distinguishes an expression to be executed immediately, as in this case, from a callback function. The resulting *Tools* menu now appears as follows:



A customised Tools menu

Selecting *Time* produces the following output in the session:

```
2007 12 10 17 10 2 0
```

Adding your own Tool Button

This example shows how you can add a button to the session tool bar that executes an APL function called XREF.

XREF analyses the function whose name is under the cursor, listing the names of the other functions that it calls in a Form.

```

▼ XREF;REFS;FN
[1] :If 0<pFN←'□SE'□WC'CurObj'
[2] :AndIf 3=□NC FN
[3]   REFS←□REFS('□SE'□WC'CurSpace'),'. ',FN
[4]   REFS←(↓REFS)~'' '
[5]   REFS←(3.1=□NC REFS)/REFS
[6]   REFS←REFS~cFN
[7]   :If 0<pREFS
[8]     'F'□WC'Form'('Functions called by ',FN)
[9]     F.FontObj←□SE.FontObj
[10]    'F.L'□WC'List'REFS(0 0)(100 100)
[11]   :EndIf
[12] :EndIf
▼

```

XREF[1] gets the value of the CurObj property of □SE which reports the name under the cursor.

XREF[3] prefixes this name by its pathname which comes from the CurSpace property which reports the user's current namespace.

To make this function available from a Session tool button, we need to do a number of things. Firstly, we must install the function in □SE so that it is always there, regardless of the current active workspace. This is easily achieved using the Explorer or □NS.

```
'□SE' □NS 'XREF'
```

Next we will add a new button to the tool bar in the *Tools* CoolBand. Ideally we would use a suitable bitmap, but to simplify the example, we will use a standard text button:

```

)CS □SE.cbtop.bandtb3.tb
□SE.cbtop.bandtb3.tb

'xref' □WC 'Button' 'XREF'
'xref' □WS 'Event' 'Select' '⌘□SE.XREF'

```



Adding a tool button

All that remains is to save the new Session.

37.9 Session Initialisation

Introduction

Each time Dyalog starts it loads and loads an initialisation file whose name is defined by the **DyalogStartup** parameter. The code defined in this file performs Session initialisation. If **DyalogStartup** is undefined, the system uses the first file it finds named `StartupSession` with file extension `.apl f`, `.apl n` or `.apl c` in the Dyalog directory. If the file has the `.apl f` extension, it is executed. If it has a `.apl n` or `.apl c` extension, the system instantiates the namespace or class and executes its `Run` function (if it exists).

At the end of the initialisation, the function defined by the `.apl f` file (or the `Run` function of the namespace or class) becomes the niladic function `⌈SE.StartupSession`, which be called to re-run the session initialisation procedures.

Implementation

Code to be installed in `⌈SE` is specified in APL source code files contained in *Session initialisation* directories identified by the **DyalogStartupSE** parameter. If this parameter is not specified, the default is a directory named `StartupSession` located in three standard locations as described below. See *Installation/Configuration: Dyalogstartupse* for more details.

Only content stored in files matching the wildcard patterns `*.dya log` and `*.apl ?` will be loaded. All such files must be appropriate for `⌈FIX`.

For each subdirectory in a Session initialisation directory, a corresponding namespace is created in `⌈SE`. Any source code files in these subdirectories will be fixed in their respective corresponding namespaces, and nested subdirectories become nested namespaces, recursively

Every top-level directory that is loaded as a namespace in `⌈SE` can have a `Run` function which (depending on the value of the **DyalogStartup_X** parameter, will be called after everything has been loaded. This does not apply to sub-namespaces. See *Installation/Configuration: Dyalogstartup X*.

This requires Link which is available by default. A custom version of Link can be used. See *Installation/Configuration: Dyaloglink*.

The Session initialisation directories are processed in alphabetical order and code defined in each directory will replace code with the same name defined previously. In effect, this means that user-supplied content can replace content supplied by Dyalog Ltd. and version-specific content can replace version-agnostic content.

Default Session Initialisation Directories

If the **DyalogStartupSE** parameter is undefined, APL looks for Session initialisation directories named `StartupSession` in the following three locations, and processes them in that order:

1. The Dyalog installation directory (which contains the dyalog executable)
2. A version-agnostic subdirectory in the user directory (the standard directory for user-related Dyalog APL files)
3. A version-specific subdirectory in the user directory, whose name is derived as described below.

Under Windows these might be:

1. `C:\Program Files\Dyalog\Dyalog APL-64 19.0 Unicode`
2. `C:\Users\Pete\Documents\Dyalog APL Files`
3. `C:\Users\Pete\Documents\Dyalog APL-64 19.0 Unicode Files`

The version-specific name is :

```
Dyalog APL{bit} {version} {edition}
```

where:

- `{bit}` is "-64" if 64-bit version, otherwise nothing
- `{version}` is the main and secondary version numbers of dyalog.exe separated by ".".
- `{edition}` is "Unicode" for the Unicode Edition, otherwise nothing


38 User Commands

Dyalog includes a mechanism to define *User Commands*.

User commands are developer tools, written in APL, which can be executed without having to explicitly copy code into your workspace and/or save it in every workspace in which you want to use it.

A User Command is a name prefixed by a closing square bracket, which may be niladic or take an argument. A User Command executes APL code that is typically stored somewhere outside the current active workspace.

By default, the existing SPICE command processor is hooked up to the user command mechanism, and a number of new SPICE commands have been added. For example:



The implementation of User Commands is very simple: If a line of input begins with a closing square bracket (`]`), and there exists a function by the name `⍤SE.UCMD`, then the interpreter will call that function, passing the input line (without the bracket) as the right argument.

To add a user command, drop a new Spice command file in the folder `SALT\Spice`.

39 File Explorer Integration

39.1 File Associations

During installation, Dyalog establishes the following file associations:

Type	File Extension	Application
Shell Scripts	.apls	Dyalog script execution engine via Windows Power Shell
Sources	.aplc, .aplf, .apli, .apln, .aplo, .dyalog	Dyalog Editor
Configuration	.dcfg	Dyalog Editor
SALT apps	.dyapp	Dyalog
Workspaces	.dws	Dyalog

When you double-click on a file with one of the above extensions, the file is opened with the corresponding application.

In addition, two items are added to the Windows Explorer context menu for directories, namely *Load with Dyalog* and *Run with Dyalog*. Both these items start Dyalog and attempt to import code from the corresponding directory using Link. The *Run with Dyalog* option also calls the function named Run if it exists. See *Installation/Configuration: Load*.

For more information about Link, see <https://dyalog.github.io/link/>.


The `]fileAssociations` user command may be employed to alter these settings. For details, enter:

```
]fileassociations -?
```


39.2 Browsing Workspaces and Source Files

39.2.1 (Unicode Edition Only)


You can browse the contents of workspaces and Dyalog source files using the preview pane of Windows File Explorer. The following example show what you see in the preview pane when you select the supplied workspace `ddb.dws`.




When you move the cursor to the next workspace in the list, `dfns.dws`, the preview pane is immediately updated to show its contents.



If you open the Fns/Ops node and click on a function name, the function is displayed. The next picture shows the function as `sign`.




You can also browse Dyalog source files. The following picture shows what you see when you select the `fileUtils.dyalog` file.



Note that you may only view workspace objects and scripts in the preview pane, it is not possible to *edit* them in the preview pane.

39.2.2 Editing Dyalog Source Files

You may edit a source file from File Explorer by first selecting the source file and then choosing *Edit* from the File Explorer context menu.



This brings up the standard Dyalog Editor, in a stand-alone window, just as it would appear if undocked from the Session, as shown in the next picture.

